



References

1. Doll R and Hill A. Smoking and carcinoma of the lung: preliminary report. *British Medical Journal*. 1950;2:739–48. Available from: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=2038856&blobtype=pdf>
2. Wynder E and Graham E. Tobacco smoking as a possible etiologic factor in bronchogenic carcinoma. *Journal of the American Medical Association*. 1950;143:329–36.
3. Jamrozik K and Le M. Tobacco's uncounted victims. *Medical Journal of Australia*. 2001;174:490–1. Available from: <http://www.mja.com.au/public/issues/contents174.html#21may>
4. Collins D and Lapsley H. The costs of tobacco, alcohol and illicit drug abuse to Australian society in 2004/05. P3 2625. Canberra: Department of Health and Ageing, 2008. Available from: [http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mono64/\\$File/mono64.pdf](http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mono64/$File/mono64.pdf)
5. Gartner CE, Barendregt J and Hall W. Predicting the future prevalence of cigarette smoking in Australia: how low can we go and by when? submitted to Tobacco Control, under editorial review. 2008
6. World Health Organization. Framework Convention on Tobacco Control. Geneva: World Health Organization, 2003, Last modified 2005 (viewed October 2006). Available from: http://www.who.int/tobacco/framework/WHO_FCTC_english.pdf
7. Ministerial Council on Drug Strategy. Australian National Tobacco Strategy 2004-2009. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm>
8. Ministerial Council on Drug Strategy. Australian National Tobacco Strategy 2004-2009: Guide to planning and investing in Tobacco Control. 30 January Canberra: Australian Government Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm>
9. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years - 7: Ideas and resources for improving information to fine-tune policy. National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: [http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/\\$FILE/tobacco_information.pdf](http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/$FILE/tobacco_information.pdf)
10. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-1: Ideas and resources for more efficiently regulating tobacco. National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>
11. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-2: Ideas and resources for increasing promotion of Quit and Smokefree messages. National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>
12. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-4: Ideas and resources for usefully supporting parents, cares and educators to protect children against smoking. National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>
13. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-3 Ideas and resources for improving services and treatment for smokers. National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>
14. Ministerial Council on Drug Strategy. Meeting the challenges of the next five years-5&6: Ideas and resources for addressing inequity in smoking-related harms by addressing social, cultural and economic determinants, and by tailoring to ensure access for disadvantaged groups National Tobacco Strategy, supporting documents. Canberra: Department of Health and Ageing, 2005. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/phd-pub-tobacco-tobccstrat2-cnt.htm/>
15. Australian Institute of Health and Welfare. 2007 National Drug Strategy Household Survey: first results. Drug Statistics Series, Number 20. Canberra: Australian Institute of Health and Welfare, 2008. Available from: <http://www.aihw.gov.au/publications/phe/ndshs07-fr/ndshs07-fr-no-questionnaire.pdf>
16. Doll R, Peto R, Boreham J and Sutherland I. Mortality in relation to smoking: 50 years' observations on male British doctors. *Br Med J*. 2004;328:1519. Available from: <http://www.bmj.com/cgi/content/abstract/328/7455/1519>
17. VicHealth Centre for Tobacco Control. Tobacco Control: A Blue Chip Investment in Public Health. Melbourne: The Cancer Council Victoria, 2003, Last modified July 2004 (viewed. Available from: <http://www.vctc.org.au>
18. Begg S, Vos T, Barker B, Stevenson C, Stanley L and Lopez A. The burden of disease and injury in Australia 2003. PHE 82. Canberra: Australian Institute of Health and Welfare, 2007. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10317>



19. Begg S, Vos T, Barker DC, Stanley L and Lopez A. Burden of disease and injury in Australia in the new millennium: measuring health loss from diseases, injuries and risk factors. *eMJA*. 2007;188:36-40.
20. Vos T, Barker B, Stanley L and Lopez A. The burden of disease and injury in Aboriginal and Torres Strait Islander peoples 2003. Brisbane: School of Population Health, The University of Queensland, 2007. Available from: <http://www.uq.edu.au/bodce/index.html?page=68411>
21. US Department of Health and Human Services. The Health Consequences of Smoking: A Report of the Surgeon General. Atlanta, Georgia: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2004. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/index.htm
22. Department of Prime Minister and Cabinet. Australia 2020 Summit Long-term Health Strategy. Canberra: Government of Australia, 2008, Last modified April 2008 (viewed May 2008). Available from: <http://www.australia2020.gov.au/topics/docs/health.pdf>
23. Siahpush M, Borland R and Scollo M. Smoking and financial stress. *Tob Control*. 2003;12:60-6. Available from: <http://tobaccocontrol.bmj.com/cgi/content/full/12/1/60>
24. Scollo M. Chapter 9. Smoking and social disadvantage, in Scollo, M., and Winstanley, M, Editor, *Tobacco in Australia: Facts and Issues*, Melbourne: The Cancer Council Victoria, 2008; Available from: *in press*
25. Siahpush M, Borland R and Yong H. Socio-demographic and psychosocial correlates of smoking-induced deprivation and its effect on quitting: Findings from the International Tobacco Control Policy Evaluation Survey. *Tob Control*. 2007;16:e2 (Available from: <http://www.tobaccocontrol.com/cgi/content/full/16/2/e2>
26. Stuber S, Galea S and Link BG. Smoking and the emergence of a stigmatized social status. *Social Science & Medicine*. 2008;doi:10.1016/j.socscimed.2008.03.010
27. Christakis NA and Fowler JH. The collective dynamics of smoking in a large social network. *New England Journal of Medicine*. 2008;358:2249-58. Available from: http://christakis.med.harvard.edu/pdfs/Christakis_Fowler_Smoking_NEJM.pdf
28. Department of Prime Minister and Cabinet. Education, Skills and the Productivity Agenda. Canberra: Government of Australia, 2008, Last modified April 2008 (viewed May 2008). Available from: <http://www.australia2020.gov.au/topics/infrastructure.cfm>
29. Julia Gillard MP Deputy Federal Labor Leader and Shadow Minister for Employment and Industrial Relations and Shadow Minister for Social Inclusion and Senator Penny Wong Shadow Minister for Workforce Participation. An Australian Social Inclusion agenda: ELECTION 2007. 2007. Available from: http://www.alp.org.au/download/now/071122_social_inclusion.pdf
30. Department of Prime Minister and Cabinet. Strengthening Communities: Supporting families and social inclusion. Canberra: Government of Australia, 2008, Last modified April 2008 (viewed May 2008). Available from: <http://www.australia2020.gov.au/topics/communities.cfm>
31. Winstanley M and White V. Chapter 1. Trends in the prevalence of smoking, in Scollo, M., and Winstanley, M, Editor, *Tobacco in Australia: Facts and Issues*, Melbourne: Quit Victoria, 2008; Available from: *in press*
32. Scollo M. Contributions to tobacco control: state and federal government and non-government. Unpublished data, 2001.
33. Wakefield M and Bobevski I. Changes associated with the National Tobacco Campaign: Preliminary report on smoking prevalence and consumption, 1997-2002. Canberra: Department of Health and Ageing, 2003. Available from: *no longer on line*
34. Wakefield M, Freeman J and Inglis G. Ch 5 Changes associated with the National Tobacco Campaign: Results of the third and fourth follow-up surveys, in Hassard, K., Editor, *Australia's National Tobacco Campaign, Evaluation Volume 3*, Canberra: Department of Health and Ageing, 2004; Available from: <http://www.quitnow.info.au/internet/quitnow/publishing.nsf/Content/evaluation-reports>
35. Wakefield M, Durkin S, Spittal M, Siahpush M, Scollo M, Simpson JA, et al. Impact of tobacco control policies and mass media campaigns on monthly adult smoking prevalence: time series analysis. *American Journal of Public Health*. 2008;98: 1443-50, Available from: <http://www.ajph.org/cgi/content/abstract/98/8/1443>
36. Australian Institute of Health and Welfare. 1998 National Drug Strategy Household Survey: State and Territory supplement. Drug Statistics Series No. 10, AIHW cat. no. PHE 26. Canberra: Australian Institute of Health and Welfare 2000. Available from: <http://www.aihw.gov.au/publications/phe/ndshs98str/ndshs98str.pdf>
37. Australian Institute of Health and Welfare. 2001 National Drug Strategy Household Survey: State and Territory supplement. Drug Statistics Series No. 10, AIHW cat. no. PHE 37. Canberra: Australian Institute of Health and Welfare 2002. Available from: <http://www.aihw.gov.au/publications/phe/ndshs01sts/ndshs01sts.pdf>
38. Australian Institute of Health and Welfare. 2004 National Drug Strategy Household Survey, State and Territory Supplement. Canberra: 2005, Last modified 17 June 2005 (viewed. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10133>
39. Australian Institute of Health and Welfare. 2007 National Drug Strategy Household Survey State and territory supplement. Drug Statistics Series No 21 Canberra: 2008, (viewed. Available from: <http://www.aihw.gov.au/publications/phe/ndshs07-sats/ndshs07-sats.pdf>
40. World Health Organization. MPOWER: A policy package to reverse the tobacco epidemic. Geneva: World Health Organization, 2008, (viewed. Available from: http://www.who.int/tobacco/mpower/mpower_english.pdf
41. Conference of the Parties to the World Health Organization Framework Convention on Tobacco Control. Elaboration of guidelines for implementation of Article 13 of the Convention, 2008. World Health Organization. Available from: http://www.who.int/gb/ctc/PDF/cop3/FCTC_COP3_9-en.pdf.

- 
42. UK Department of Health. Consultation on the future of tobacco control. Product no. 287904, Gateway reference: 9874. London: Department of Health UK, 2008. Available from: http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_085114
 43. Committee on Reducing Tobacco Use: Strategies Barriers and Consequences Board on Population Health and Public Health Practice Institute of Medicine of the National Academies. Ending the Tobacco Problem: A Blueprint for the Nation, ed. Bonnie, R.J., K. Stratton, and R.B. Wallace. Washington: The National Academies Press, Institute of Medicine of the National Academies, 2007. Available from: <http://www.iom.edu/CMS/3793/20076/43179.aspx>
 44. White V and Hayman J. Smoking behaviours of Australian secondary students in 2005. Canberra: Drug Strategy Branch, Australian Government Department of Health and Ageing, 2006. Available from: <http://www.nationaldrugstrategy.gov.au/internet/drugstrategy/publishing.nsf/Content/mono59>
 45. White VM, Hayman J and Hill DJ. Can population-based tobacco-control policies change smoking behaviors of adolescents from all socio-economic groups? Findings from Australia: 1987–2005 Cancer Causes and Control. 2008; Published on line
 46. Hill D and Gray N. Patterns of tobacco smoking in Australia. Med J Aust. 1982;1:23-5. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=927253&query_hl=12&itool=pubmed_docsum
 47. Hill D and Gray N. Australian patterns of smoking and related health beliefs in 1983. Community Health Stud. 1984;8:307-16. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=6518750&query_hl=15&itool=pubmed_docsum
 48. Hill D. Australian patterns of tobacco smoking in 1986. Med J Aust. 1988;149:6-10. Available from: <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=search&DB=pubmed>
 49. Hill D, White V and Gray N. Australian patterns of tobacco smoking in 1989. Med J Aust. 1991;154:797-801. Available from: <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=Search&DB=pubmed>
 50. Hill D and White V. Australian adult smoking prevalence in 1992. Aust J Public Health. 1995;19:305-8. Available from: <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=Search&DB=pubmed>
 51. Hill DJ, White VM and Scollo MM. Smoking behaviours of Australian adults in 1995: trends and concerns. Med J Aust. 1998;168:209-13. Available from: <http://www.mja.com.au/public/issues/mar2/hill/hill.html>
 52. White V, Hill D, Siahpush M and Bobevski I. How has the prevalence of cigarette smoking changed among Australian adults? Trends in smoking prevalence between 1980 and 2001. Tob Control. 2003;12:ii67-ii74. Available from: http://tobaccocontrol.bmj.com/cgi/content/full/12/suppl_2/ii67
 53. Australian Institute of Health and Welfare. 2001 National Drug Strategy Household Survey: detailed findings. AIHW cat. no. PHE 41. Drug statistics series No. 11. Canberra: AIHW 2002. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/8227>
 54. Australian Institute of Health and Welfare. National Drug Strategy Household Survey 2004-detailed findings AIHW cat. no. PHE 66. Canberra: Australian Institute of Health and Welfare, 2005. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10190>
 55. Australian Bureau of Statistics, Melbourne: The Cancer Council Victoria. Prevalence of current smoking, Australia 1989-90 to 2004-05. Spreadsheet provided to Michelle Scollo The Cancer Council Victoria, 2008.
 56. Winstanley M and White V. Chapter 8. Tobacco use among Aboriginal peoples and Torres Strait Islanders, in Scollo, M., and Winstanley, M, Editor, Tobacco in Australia: Facts and Issues, Melbourne: Quit Victoria, 2008; Available from: in press
 57. Australian Bureau of Statistics. 4722.0.55.004--Tobacco Smoking-- Aboriginal and Torres Strait Islander people: A snapshot, 2004-05 Canberra: Australian Bureau of Statistics, 2007. Last modified 5 July 2007 (viewed January 2008). Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/productsbyCatalogue/D030A9BD9BF14B08CA25730E0021BCE1?OpenDocument>
 58. Jablensky A, McGrath J, Herrman H, Castle D, Gureje O, Morgan V, et al. People living with psychotic illness: an Australian study 1997-98. Mental Health Branch, Commonwealth Department of Health and Aged Care. Canberra, 1999.
 59. Reichler H, Baker A, Lewin T and Carr V. Smoking Among in-Patients With Drug-related Problems in an Australian Psychiatric Hospital. Drug and Alcohol Review. 2001;20:231-7.
 60. Kermode M, Crofts N, Miller P, Speed B and Streeton J. Health indicators and risks among people experiencing homelessness in Melbourne, 1995-1996. Aust NZ J Public Health 1998;22:464-70.
 61. Awofeso N, Testaz R, Wyper S and Morris S. Smoking prevalence in New South Wales correctional facilities. Tob Control. 2001;10:84-5.
 62. de Leon J and Diaz FJ. A meta-analysis of worldwide studies demonstrates an association between schizophrenia and tobacco smoking behaviors Schizophrenia Research. 2005;76:135-57.
 63. Lasser K, Boyd L, Woolhandler S, Himmelstein S, McCormick D and Bor D. Smoking and mental illness: A population-based prevalence study. Journal of the American Medical Association. 2000;284:2606-10.
 64. McNeill A. Smoking and mental health: a review of the literature. London: Smokefree Londone Programme, 2001. Available from: <http://www.ash.org.uk/html/policy/menlitrev.pdf>
 65. Laws P, Abeywardana S, Walker J and Sullivan E. Australia's mothers and babies 2005. Perinatal statistics series no. 20, Cat. no. PER 40. Sydney: AIHW National Perinatal Statistics Unit, 2007. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10471>
 66. Australian Institute of Health and Welfare. Aboriginal and Torres Strait Islander Health Performance Framework 2006 report Detailed analyses. Canberra: AIHW cat. no. IHW 20, 2007. Available from: <http://www.aihw.gov.au/publications/ihw/atshp06r/>



67. Brion M, Leary S, Lawlor D, Smith G and Ness A. Modifiable maternal exposures and offspring blood pressure: A review of epidemiological studies of maternal age, diet and smoking. *Pediatric research*. 2008;Epub ahead of print Available from: <http://www.pedresearch.org/pt/re/pedresearch/abstract.00006450-900000000-99464.htm;jsessionid=HwGL1HRNvTdhv1blvdpRLDjDK9jg8KI2phVty27wCypdd93hk7Rl16757026731181195628180911-1>
68. Oken E, Levitan E and Gillman M. Maternal smoking during pregnancy and child overweight: systematic review and meta-analysis. *International Journal of Obesity*. 2008;32:210–10. Available from: <http://www.nature.com/ljo/journal/v32/n2/abs/0803760a.html>
69. Lawrence J, Xiao D, Xue Q, Rejali M, Yang S and Zhang L. Prenatal Nicotine Exposure Increases Heart Susceptibility to Ischemia/Reperfusion Injury in Adult Offspring. *Journal of Pharmacology And Experimental Therapeutics*. 2008;324:331–41. Available from: <http://jpet.aspetjournals.org/cgi/content/abstract/324/1/331>
70. Reinberg S. Mom's Smoking Raises Kids' Adult Heart Risk *Washington Post*, March 2 2007, Available from: <http://www.washingtonpost.com/wp-dyn/content/article/2007/03/02/AR2007030200892.html>
71. Richthoff J, Elzanaty S, Rylander L, Hagmar L and Giwercman A. Association between tobacco exposure and reproductive parameters in adolescent males. *International Journal of Andrology*. 2008;31:31–9. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1365-2605.2007.00752.x>
72. Fowler P, Cassie S, Rhind S, Brewer M, Collinson J, Lea R, et al. Maternal smoking during pregnancy specifically reduces human fetal Desert hedgehog gene expression during testis development *Journal of Clinical Endocrinology & Metabolism*. 2008;93:619–26. Available from: <http://jcem.endojournals.org/cgi/content/abstract/93/2/619>
73. Pickett K, Wood C, Adamson J, DeSouza L and Wakshlag L. Meaningful differences in maternal smoking behaviour during pregnancy: implications for infant behavioural vulnerability. *J Epidemiol Community Health*. 2008;62:318-24.
74. Benowitz N. *Nicotine safety and toxicity*. New York: Oxford University Press, 1998.
75. Herrmann M, King K and Weitzman M. Prenatal tobacco smoke and postnatal secondhand smoke exposure and child neurodevelopment. *Curr Opin Pediatr*. 2008;20:184-90. Available from: <http://www.co-pediatrics.com/pt/re/copeads/abstract.00008480-200804000-00015.htm;jsessionid=Hj1HTqjWJGp2bT7XGK1F1SX2Yq99RCKy3QypVhJvr5dDv7VT6l1L-1013551081181195628180911-1>
76. Huizink AC and Mulder EJH. Maternal smoking, drinking or cannabis use during pregnancy and neurobehavioral and cognitive functioning in human offspring *Neuroscience & Biobehavioral Reviews* 2006;30:24-41. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T0J-4GV8TB5-5&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=06065df131598ae0c2c3fba5f451f4e6
77. Jacobsen L, Picciotto M, Heath C, Frost S, Tsou K, Dwan R, et al. Prenatal and Adolescent Exposure to Tobacco Smoke Modulates the Development of White Matter Microstructure. *The Journal of Neuroscience*. 2007;27:13291–8. Available from: <http://www.jneurosci.org/cgi/content/abstract/27/49/13491>
78. Julvez J, Ribas-Fitó N, Torrent M, Forns M, Garcia-Esteban R and Sunyer J. Maternal smoking habits and cognitive development of children at age 4 years in a population-based birth cohort *International Journal of Epidemiology*. 2007;36:825–32. Available from: <http://ije.oxfordjournals.org/cgi/content/abstract/36/4/825>
79. Gartner CE, Reported smoking inside and outside in households with and without dependent children, data from National Drug Strategy Household Survey 2004. Brisbane: University of Queensland. Unpublished data 2008.
80. Scollo M. Chapter 2. Trends in tobacco consumption, in Scollo, M., and Winstanley, M, Editor, *Tobacco in Australia: Facts and Issues*, Melbourne: The Cancer Council Victoria, 2008; Available from: *in press*
81. The Social Research Centre. *National Tobacco Survey: Smoking Prevalence and Consumption 1997-2005*. Sydney: for the Research and Marketing Group, Business Group, Department of Health and Ageing, 2006. Available from: [http://www.quitnow.info.au/internet/quitnow/publishing.nsf/content/E358356416AB1E48CA2571A30081B517/\\$File/prevalence-feb06.pdf](http://www.quitnow.info.au/internet/quitnow/publishing.nsf/content/E358356416AB1E48CA2571A30081B517/$File/prevalence-feb06.pdf)
82. Hyland A, Borland R, Li Q, Yong HH, McNeill A, Fong GT, et al. Individual-level predictors of cessation behaviours among participants in the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii83-94. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii83
83. Farkas AJ, Pierce JP, Zhus SH and et al. Addiction versus stages of change models in predicting smoking cessation. *Addiction*. 1996;91
84. Siahpush M, McNeill A, Borland R and Fong GT. Socioeconomic variations in nicotine dependence, self-efficacy, and intention to quit across four countries: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii71-5. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii71
85. Chapman S. *Public Health Advocacy and Tobacco Control: Making Smoking History*: Blackwell Publishing, 2007. Available from: <http://www.blackwellpublishing.com/contents.asp?ref=9781405161633&site=1>
86. National Cancer Institute. Part 5-Media, tobacco control interventions and tobacco industry mitigation effects, *The Role of the Media. Smoking and Tobacco Control Monograph No. 19*, Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
87. Stillman F, Cronin K, Evans W and Ulasevich A. Can media advocacy influence newspaper coverage of tobacco: measuring the effectiveness of the American stop smoking intervention study's (ASSIST) media advocacy strategies. *Tob Control*. 2001;10:137-44.

- 
88. Marilee L, Michael DS and Lindsay L. US news media coverage of tobacco control issues. *Tobacco Control*. 2006;15:367-72. Available from: <http://ejournals.ebsco.com/direct.asp?ArticleID=42C39629BF02D58ACAFD>
89. Pierce JP and Gilpin EA. News media coverage of smoking and health is associated with changes in population rates of smoking cessation but not initiation. *Tob Control*. 2001;10:145-53. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/10/2/145>
90. Smith KC, Wakefield MA, Terry-McElrath Y, Chaloupka FJ, Flay B, Johnston L, et al. Relation between newspaper coverage of tobacco issues and smoking attitudes and behaviour among American teens. *Tob Control*. 2008;17:17-24. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/1/17>
91. Chapman S. The place of advocacy in tobacco control Public Health Advocacy and Tobacco Control: Making Smoking History, Blackwell Publishing, 2007; Available from: <http://www.blackwellpublishing.com/contents.asp?ref=9781405161633&site=1>
92. Schaap M, Kunst AE, Leinsalu M, Regisor E, Ekholm O, Dzurova D, et al. Effect of nation-wide tobacco control policies on smoking cessation in high and low educated groups in 18 European countries. *Tob Control*. 2008;May 15, 2008, (Epub ahead of print). Available from: http://www.ncbi.nlm.nih.gov/pubmed/18483129?ordinalpos=15&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief
93. Joossens L and Raw M. The Tobacco Control Scale: a new scale to measure country activity. *Tob Control*. 2006;15:247-53. Available from: <http://tc.bmjournals.com/cgi/content/abstract/15/3/247>
94. Thomas S, Fayler D, Misso K, Oglivie D, Petticrew M, Sowden A, et al. Population tobacco control interventions and their effects on social inequalities in smoking: systematic review. *Tob Control*. 2008;in publication Available from: http://tobaccocontrol.bmj.com/cgi/content/abstract/tc.2007.023911v1?paper_toc
95. Chaloupka F and Grossman M. Price, Tobacco Control Policies and Youth Smoking. NBER Working Paper No. 5740. 1996. Available from: <http://tigger.uic.edu/~fjc/>
96. Wakefield M and Chaloupka F. Effectiveness of comprehensive tobacco control programmes in reducing teenage smoking in the USA. *Tob Control*. 2000;9:177-86. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/9/2/177>
97. Woollery T, Asma S, Chaloupka F and Novotny T. Clean indoor air and youth access legislation to reduce the demand for tobacco products, In Jha, P.C., F, Editor, Tobacco Control Policies in Developing Countries, Oxford University Press, 2000;
98. Schnohr CW, Kreiner S, Rasmussen M, Due P, Currie C and Diderichsen F. The role of national policies intended to regulate adolescent smoking in explaining the prevalence of daily smoking: a study of adolescents from 27 European countries. *Addiction*. 2008;103:824-31. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2008.02161.x>
99. Gallet C and List J. Cigarette demand: a meta-analysis of elasticities. *Health Econ*. 2003;12:821-35. Available from: <http://www3.interscience.wiley.com/cgi-bin/abstract/101520325/ABSTRACT?CRETRY=1&SRETRY=0100>. Scollo M, Younie S, Wakefield M, Freeman J and Icasiano F. Impact of tobacco tax reforms on tobacco prices and tobacco use in Australia. *Tob Control*. 2003;12:59ii-66. Available from: http://tc.bmjournals.com/cgi/content/abstract/12/suppl_2/ii59
101. Farrelly M and Engelen M. Cigarette prices, smoking, and the poor, revisited. *American Journal of Public Health* 2008;98:3-4.
102. Siahpush, M Wakefield, M, Spittal, M, Durkin, S and Scollo, M Taxation reduces social disparities in adult smoking prevalence: evidence from Australia, 1991-2006. in submission
103. Feighery EC, Ribisl KM, Schleicher NC, Zellers L and Wellington N. How do minimum cigarette price laws affect cigarette prices at the retail level? *Tob Control*. 2005;14:80-5. Available from: <http://tc.bmjournals.com/cgi/content/abstract/14/2/80>
104. Pierce JP, Gilmer TP, Lee L, Gilpin EA, de Beyer J and Messer K. Tobacco industry price-subsidizing promotions may overcome the downward pressure of higher prices on initiation of regular smoking. *Health Economics*. 2005;14:1061-71. Available from: <http://dx.doi.org/10.1002/hec.990>
105. Scollo M, Freeman J and Wakefield M. Ch 7. Early evidence of impact of recent reforms to tobacco taxes on tobacco prices and tobacco use in Australia, National Tobacco Campaign Evaluation Vol III, Canberra: Australian Government Department of Health and Ageing, 2004; Available from: [http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/\\$File/tobccamp3-7.pdf](http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/$File/tobccamp3-7.pdf)
106. Hyland A, Laux FL, Higbee C, Hastings G, Ross H, Chaloupka FJ, et al. Cigarette purchase patterns in four countries and the relationship with cessation: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii59-64. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii59
107. Arnott D, Data from the Smoking Toolkit Study presented to UK Select Committee on Health Inequalities May 26. London: ASH UK. 2008.
108. Economist Intelligence Unit. Tobacco prices, cigarettes medium level stores EIU City data. 2007, Last modified January 2008 (viewed June 2008). Available from: <http://store.eiu.com/product/130000213.html?ref=Products>
109. Scollo M. Chapter 13. The pricing and taxation of tobacco products in Australia, in Scollo, M., and Winstanley, M, Editor, Tobacco in Australia: Facts and Issues, Melbourne: The Cancer Council Victoria, 2008; Available from: in press
110. NSW Retail Tobacco Traders' Association. Cigarette price lists. Australian Retail Tobacconist. 2000s;60 to 66
111. Li Q, Buffalo, NY: Roswell Park Cancer Institute. Prices of Australian cigarettes from Waves 2 to 4 of the International Tobacco Control Policy Evaluation Study. Email to Michelle Scollo of The Cancer Council Victoria, 2006.



112. The Auditor-General. Administration of Petroleum and Tobacco Excise Collections: A Follow-up Audit, 33 2005-06 Performance Audit. Canberra: Australian National Audit Office, 2006. Available from: http://www.anao.gov.au/director/publications/auditreports/2005-2006.cfm?item_id=1EB393419FB39C1B5F3F8574CAD4AB76
113. The Auditor-General. Performance Audit Administration of Tobacco Excise. Audit Report No.55 2001-02. Canberra: Australian National Audit Office, 2002. Available from: <http://www.anao.gov.au/director/publications/auditreports/2001-2002.cfm?pageNumber=2>
114. Russel M. Shipping crates laden with drugs 'slip past customs'. The Sunday Age, 8 June 2008 2008, 10
115. Intergovernmental Negotiating Body on a Protocol on Illicit Trade in Tobacco Products Conference of the Parties to the World Health Organization Framework Convention on Tobacco Control. Chairperson's text for a protocol on illicit trade in tobacco products, 2008. World Health Organization. Available from: http://www.who.int/gb/fctc/PDF/it2/FCTC_COP_INB_IT2_3-en.pdf
116. US Department of Health and Human Services. The health consequences of involuntary exposure to tobacco smoke : a report of the Surgeon General. Atlanta Ga: US Dept. of Health and Human Services, Centers for Disease Control and Prevention, Coordinating Center for Health Promotion, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2006. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/sgr_2006/index.htm
117. Pierce JP and León ME. The Effectiveness of Smoke-free Policies – An IARC Review of Actions to reduce exposure to carcinogens in Secondhand Smoke. *Lancet Oncology*. 2008;accepted for publication
118. Scollo M, Lal A, Hyland A and Glantz S. A review of the quality of studies on the economic effects of smoke-free policies on the hospitality industry. *Tob Control*. 2003;12:13-20. Available from: <http://tobaccocontrol.bmj.com/cgi/reprint/12/1/13>
119. Messer K, Mills A, White M and Pierce J. The effect of smoke-free homes on smoking behavior in the US. *American Journal of Preventive Medicine*. 2008;Epub ahead of print Available from: [http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VHT-4SYKKW9-1&_user=10&_coverDate=07%2F11%2F2008&_rdoc=1&_fmt=high&_orig=browse&_srch=doc-info\(%23toc%236075%239999%2399999999%2399999%23FLA%23display%23Articles\)&_cdi=6075&_sort=d&_docanchor=&view=c&_ct=7&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=f854bc2c2f7bff9e9c9aa639c06997a9](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VHT-4SYKKW9-1&_user=10&_coverDate=07%2F11%2F2008&_rdoc=1&_fmt=high&_orig=browse&_srch=doc-info(%23toc%236075%239999%2399999999%2399999%23FLA%23display%23Articles)&_cdi=6075&_sort=d&_docanchor=&view=c&_ct=7&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=f854bc2c2f7bff9e9c9aa639c06997a9)
120. Pierce J and León M. Effectiveness of smoke-free policies. The *Lancet Oncology*. IARC Handbook Volume 13 Working Group, IARC Secretariat, 2008. Available from: <http://www.thelancet.com/journals/lanonc/article/PIIS1470204508701670/>
121. Albers AB, Biener L, Siegel M, Cheng DM and Rigotti N. Household smoking bans and adolescent antismoking attitudes and smoking initiation: findings from a longitudinal study of a Massachusetts youth cohort *American Journal of Public Health*. 2008;(Epub ahead of print) Available from: <http://www.ajph.org/cgi/reprint/AJPH.2007.129320v1>
122. Siegel M, Albers AB, Cheng DM, Hamilton WL and Biener L. Local restaurant smoking regulations and the adolescent smoking initiation process: results of a multilevel contextual analysis among Massachusetts youth. *Archives of Pediatrics & Adolescent Medicine*. 2008;162:477-83. Available from: <http://archpedi.ama-assn.org/cgi/content/abstract/162/5/477>
123. Vardavas CI, Linardakis M and Kafatos AG. Environmental tobacco smoke exposure in motor vehicles: a preliminary study. *Tob Control*. 2006;15:415-. Available from: <http://tc.bmjournals.com>
124. Edwards R, Wilson N and Pierse N. Highly hazardous air quality associated with smoking in cars: New Zealand pilot study. *New Zealand Medical Journal* 2006;119:1244.
125. Rees VW and Connolly GN. Measuring air quality to protect children from secondhand smoke in cars *American Journal of Preventative Medicine*. 2006;31:363-8.
126. Ott W, Klepeis N and Switzer P. Air change rates of motor vehicles and in-vehicle pollutant concentrations from secondhand smoke. *Journal of Exposure Science and Environmental Epidemiology*. 2008;18:312-25. Available from: <http://www.nature.com/jes/journal/v18/n3/abs/7500601a.html>
127. Jalleh G, Donovan RJ, Stewart S and Sullivan D. Is there public support for banning smoking in motor vehicles? *Tob Control*. 2006;15:71-. Available from: <http://tc.bmjournals.com>
128. Freeman B, Chapman S and Storey P. Banning smoking in cars carrying children: an analytical history of a public health advocacy campaign *Australian and New Zealand Journal of Public Health*. 2008;32:60-5. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1753-6405.2008.00167.x>
129. Martin J, George R, Andrews K, Barr P, Bicknell D, Insull E, et al. Observed smoking in cars: a method and differences by socioeconomic area. *Tob Control*. 2006;15:409-11. Available from: <http://tc.bmjournals.com/cgi/content/abstract/15/5/409>
130. Cooper J and Borland R, Melbourne: Knowledge Building Team, The Cancer Council Victoria. Responses to fifth wave of the International Tobacco Control Four-country Survey, by educational attainment and income adjusted for household size, unpublished data. Data file provided to Michelle Scollo of the Tobacco Control Unit, 2008.
131. Edwards R, Thomson G, Wilson N, Waa A, Bullen C, O'Dea D, et al. After the smoke has cleared: evaluation of the impact of a new national smoke-free law in New Zealand. *Tob Control*. 2008;17:e2-. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/1/e2>
132. NZ Ministry of Health. Health behaviours and risk factors, A Portrait of Health - Key results of the New Zealand Health Survey, Wellington: Ministry of Health New Zealand, 2008; Available from: [http://www.moh.govt.nz/moh.nsf/pagesmh/7440/\\$File/second-hand-smoke-and-tobacco-use-nz-health-survey-jun08.pdf](http://www.moh.govt.nz/moh.nsf/pagesmh/7440/$File/second-hand-smoke-and-tobacco-use-nz-health-survey-jun08.pdf)

- 
133. Glantz S. Meta-analysis of the effects of smokefree laws on acute myocardial infarction: an update. *Preventive Medicine*. 2008;Epub ahead of print Available from: [http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-4SSND22-1&_user=10&_coverDate=06%2F18%2F2008&_rdoc=10&_fmt=high&_orig=browse&_srch=doc-info\(%23toc%236990%239999%239999999999%23999999%23FLA%23display%23Articles\)&_cdi=6990&_sort=d&_docanchor=&_ct=58&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=4cea0d943132392585be2c8df1065769](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-4SSND22-1&_user=10&_coverDate=06%2F18%2F2008&_rdoc=10&_fmt=high&_orig=browse&_srch=doc-info(%23toc%236990%239999%239999999999%23999999%23FLA%23display%23Articles)&_cdi=6990&_sort=d&_docanchor=&_ct=58&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=4cea0d943132392585be2c8df1065769)
 134. Cesaroni G, Forastiere F, Agabiti N, Valente P, Zuccaro P and Perucci CA. Effect of the Italian smoking ban on population rates of acute coronary events *Circulation*. 2008;117:1183–8. Available from: <http://circ.ahajournals.org/cgi/reprint/CIRCULATIONAHA.107.729889v1>
 135. Pell JP, Haw S, Cobbe S, Newby DE, Pell AC, Fischbacher C, et al. Smoke-free legislation and hospitalizations for acute coronary syndrome. *New England Journal of Medicine*. 2008;359:482–91. Available from: <http://content.nejm.org/cgi/content/full/359/5/482>
 136. Sargent R, Shepard R and Glantz S. Reduced incidence of admissions for myocardial infarction associated with public smoking ban: Before and after study. *Br Med J*. 2004;328:977–80. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15066887
 137. SouthWest Sydney Area Health Service of NSW Health. Air quality outdoor in NSW pubs. Sydney: ASH Australia, 2008, (viewed. Available from: <http://www.ashaust.org.au/SF%03/releases/080815.htm>
 138. Department of Health NSW. Protecting Children from Tobacco: A NSW Government Discussion Paper on the Next Steps to Reduce Tobacco-Related Harm. Sydney: Department of Health, NSW Government., 2008.
 139. NSW Labor. Lemma makes Australia's toughest tobacco laws even stronger. Sydney: NSW Labor Blog, 2008, Last modified 30 July 2008 (viewed 23 August 2008). Available from: <http://www.nswalp.com/blogs.aspx?blogid=426>
 140. Government of Victoria. Victorian Tobacco Control Strategy 2008-2013 Consultation Submission, 2008. Department of Human Services. Available from: www.health.vic.gov.au/tobaccoreforms
 141. Gallagher K. Tobacco reform continues. Canberra: Office of the Chief Minister, Australian Capital Territory, 2007. Last modified 6 June 2007 (viewed 23 August 2008). Available from: <http://www.chiefminister.act.gov.au/media.php?v=5659>
 142. Couvrette P. Tenant and landlord in court over right to smoke in home. *CanWest News Service* 2007 November 27, 2007 Available from: <http://www.canada.com/index2.html>
 143. Yahoo. National Apartments.com Survey Reveals Renters Stance on Apartment Smoking Bans - Yahoo 2008, (viewed. Available from: <http://www.tobacco.org/news/265147.html>
 144. Tilson M. Restrictions on the display of tobacco products. Tilson Consulting for Smoke-Free Nova Scotia, 2004. Available from: <http://www.smokefreesc.ca/displayban.pdf>
 145. Doubeni C, Li W, Fouayzi H and DiFranza J. Perceived accessibility as a predictor of youth smoking. *Annals of Family Medicine*. 2008;6:323–30. Available from: <http://www.annfammed.org/cgi/reprint/6/4/323>
 146. Choi W, Ahluwalia J, Harris K and Okuyemi K. Progression to established smoking: the influence of tobacco marketing. *American Journal of Preventive Medicine*. 2002;22:228–32.
 147. Wakefield M, Germain D, Durkin S and Henriksen L. An experimental study of effects on schoolchildren of exposure to point-of-sale cigarette advertising and pack displays. *Health Educ. Res*. 2006;21:338–47. Available from: <http://her.oxfordjournals.org/cgi/content/abstract/21/3/338>
 148. Wakefield M, Germain D and Henriksen L. The effect of retail cigarette pack displays on impulse purchase. *Addiction*. 2008;103:322–30.
 149. Feighery EC, Schleicher NC, Cruz TB and Unger JB. An examination of trends in amount and type of cigarette advertising and sales promotions in California stores, 2002-2005. *Tob Control*. 2008;17:93–8. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/2/93>
 150. Health Canada. A proposal to regulate the display and promotion of tobacco and tobacco-related products at retail: consultation document. Ottawa: Health Canada, 2006.
 151. Health Canada. The National Strategy: Moving Forward-The 2006 Progress Report on Tobacco Control. Ottawa: Health Canada, 2006. Last modified 15 January 2007 (viewed 17 May 2008). Available from: http://www.hc-sc.gc.ca/hl-vs/pubs/tobac-tabac/prtc-relct-2006/index_e.html
 152. Burns C. Hospitality and gaming reforms for a better future. Darwin: NT Minister for Racing Gaming and Licensing, Northern Territory Government, 2008, Last modified 18 July 2008 (viewed 23 August 2008). Available from: <http://newsroom.nt.gov.au/adminmedia/mailouts/4359/attachments/burns.1807.hospitality%20and%20gaming.pdf>
 153. Government of Victoria Department of Human Services. Tobacco reforms. Melbourne: Government of Victoria 2008, Last modified 20 August 2008 (viewed 23 August 2008). Available from: <http://www.health.vic.gov.au/tobaccoreforms/index.htm>
 154. Tobacco Advertising Prohibition Act 1992 (Cth). Available from: http://www.austlii.edu.au/au/legis/cth/consol_act/tapa1992314/
 155. National Cancer Institute. Part 2-Tobacco marketing, The Role of the Media. Smoking and Tobacco Control Monograph No. 19, Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
 156. National Cancer Institute. Part 2-Tobacco marketing, The Role of the Media. Smoking and Tobacco Control Monograph No. 19, Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>



157. Carter SM. Going below the line: creating transportable brands for Australia's dark market. *Tob Control*. 2003;12:87iii-94. Available from: http://tc.bmjournals.com/cgi/content/abstract/12/suppl_3/iii87
158. Freeman B and Chapman S. Gone viral? Heard the buzz? A guide for public health practitioners and researchers on how Web 2.0 can subvert advertising restrictions and spread health information. *Journal of Epidemiology and Community Health*. 2008;62: 778-82. Available from: <http://jech.bmj.com/cgi/content/full/62/9/778>
159. The Cancer Council Australia. Review of the Tobacco Advertising Prohibition Act: submission on behalf of Australian health organisations. Sydney: VicHealth Centre for Tobacco Control, 2003.
160. Commonwealth Department of Health and Ageing. Tobacco Advertising Prohibition Act 1992 Issues Paper. Canberra: Commonwealth Department of Health and Ageing, 2003, (viewed. Available from: <http://www.health.gov.au/pubhlth/strateg/drugs/tobacco/consult/index.htm>
161. Dalton MA, Tickle JJ, Sargent JD, Beach ML, Ahrens MB and Heatherton TF. The incidence and context of tobacco use in popular movies from 1988 to 1997. *Prev Med*. 2002;34:516-23.
162. Dozier DM, Lauzen MM, Day CA, Payne SM and Tafoya MR. Leaders and elites: portrayals of smoking in popular films. *Tobacco Control*. 2005;14:7-9. Available from: <http://ejournals.ebsco.com/direct.asp?ArticleID=4DEBB C5FDD8C8D8132EF>
163. Hazan A, Lipton H and Glantz S. Popular films do not reflect current tobacco use. *American Journal of Public Health*. 1994;84:998-1000.
164. McGee R and Ketchel J. Tobacco imagery on New Zealand television 2002-2004. *Tob Control*. 2006;15:412-4. Available from: <http://tc.bmjournals.com/cgi/content/abstract/15/5/412>
165. Mekemson C, Glik D, Titus K, Myerson A, Shaivitz A, Ang A, et al. Tobacco use in popular movies during the past decade. *Tob Control*. 2004;13:400-2. Available from: <http://tc.bmjournals.com/cgi/content/abstract/13/4/400>
166. Sargent J and al e. Brand appearances in contemporary cinema films and contribution to global marketing of cigarette. *Lancet*. 2001;357:29-32. Available from: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&uid=11197357&Dopt=d>
167. Sargent JD, Tanski SE and Gibson J. Exposure to movie smoking among US adolescents aged 10 to 14 Years: A population estimate. *Pediatrics*. 2007;119:e1167-76. Available from: <http://pediatrics.aappublications.org/cgi/content/abstract/119/5/e1167>
168. Simpson D. Czech Republic: film targets still in frame. *Tob Control*. 2006;15:149-b-50. Available from: <http://tc.bmjournals.com>
169. Stockwell TF and Glantz SA. Tobacco use is increasing in popular films. *Tob Control*. 1997;6:282-4.
170. Worth KA, Cin SD and Sargent JD. Prevalence of smoking among major movie characters: 1996-2004. *Tob Control*. 2006;15:442-6. Available from: <http://tc.bmj.com/cgi/content/abstract/15/6/442>
171. Institute of Medicine. Growing up Tobacco Free: Preventing Nicotine Addiction in Youth and Adolescents, ed. Lynch, B. and R. Bonnie. Washington, DC: National Academy Press, 1994.
172. National Cancer Institute. Part 3-Tobacco in news and entertainment media, The Role of the Media. Smoking and Tobacco Control Monograph No. 19, Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
173. Bansal R, John S and Ling PM. Cigarette advertising in Mumbai, India: targeting different socioeconomic groups, women, and youth. *Tobacco Control*. 2005;14:201-6. Available from: <http://tc.bmjournals.com/cgi/content/abstract/14/3/201>
174. Dalton M, Sargent J, Beach M, Titus-Ernstoff L, Gibson J, Ahrens B, et al. Effect of viewing smoking in movies on adolescent smoking initiation: a cohort study. *The Lancet*. 2003 Available from: <http://image.thelancet.com/extras/03art1353web.pdf>
175. Distefan J, Pierce J and Gilpin G. Do favorite movie stars influence adolescent smoking initiation? *American Journal of Public Health*. 2004;94:1239-44.
176. Sargent JD, Beach ML, Dalton MA, Mott LA, Tickle JJ, Ahrens MB, et al. Effect of seeing tobacco use in films on trying smoking among adolescents: cross sectional study. *Br Med J*. 2001;323:1394-7.
177. Charlesworth A and Glantz S. Smoking in the movies increases adolescent smoking: a review *Pediatrics*. 2005;116:1516-28.
178. Audrain-McGovern J, Rodriguez D, Patel V, Faith MS, Rodgers K and Cuevas J. How do psychological factors influence adolescent smoking progression? The evidence for indirect effects through tobacco advertising receptivity. *Pediatrics*. 2006;117:1216-25. Available from: <http://pediatrics.aappublications.org/cgi/content/abstract/117/4/1216>
179. Audrain-McGovern J, Tercyak KP, Shields AE, Bush A, Espinel CF and Lerman C. Which adolescents are most receptive to tobacco industry marketing? Implications for counter-advertising campaigns *Health Communication*. 2003;15:499-513. Available from: <http://www.informaworld.com/smpp/content-content=a785835589>
180. Chapman S and Davis R. Smoking in movies: is it a problem? *TobControl*. 1997;6:269-71.
181. Males M. Measures to reduce smoking in films should penalise film and tobacco industries. *Br Med J*. 2002;324:1338.
182. Chapman S. Vector control: controlling the tobacco industry and its promotions *Public Health Advocacy and Tobacco Control: Making Smoking History*, Blackwell Publishing, 2007; Available from: <http://www.blackwellpublishing.com/contents.asp?ref=9781405161633&site=1>
183. Edwards CA, Harris WC, Cook DR, Bedford KF and Zuo Y. Out of the Smokescreen: does an anti-smoking advertisement affect young women's perception of smoking in movies and their intention to smoke? *Tob Control*. 2004;13:277-82. Available from: <http://tc.bmjournals.com/cgi/content/abstract/13/3/277>



184. Glantz S. Posts to USSV Movies List. GLOBALink 2008:
185. Scheffels J. A difference that makes a difference: young adult smokers' accounts of cigarette brands and package design. *Tob Control*. 2008;17:118-22. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/2/118>
186. Wakefield M, Morley C, Horan JK and Cummings KM. The cigarette pack as image: new evidence from tobacco industry documents. *Tob Control*. 2002;11:i73-80. Available from: http://tobaccocontrol.bmj.com/cgi/content/abstract/11/suppl_1/i73
187. Freeman B, Chapman S and Rimmer M. Review: The case for the plain packaging of tobacco products. Sydney: University of Sydney, 2007. Available from: <http://tobacco.health.usyd.edu.au/site/futuretc/pdfs/generic.pdf>
188. Wakefield M, Germain D and Durkin S. How does increasingly plainer cigarette packaging influence adult smokers' perceptions about brand image? An experimental study. *Tobacco Control*. 2008; on line pre-publication
189. Beede P and Lawson R. The effect of plain packages on the perception of cigarette health warnings. *Public Health*. 1992;106:315-22.
190. Goldberg M, Liefeld J, Madil J and Vredenburg H. The effect of plain packaging on response to health warnings. *American Journal of Public Health*. 1999;89:1434-5.
191. Strahan EJ, White K, Fong GT, Fabrigar LR, Zanna MP and Cameron R. Enhancing the effectiveness of tobacco package warning labels: a social psychological perspective. *Tob Control*. 2002;11:183-90. Available from: <http://tc.bmjournals.com/cgi/content/abstract/11/3/183>
192. Wakefield M and Letcher T. My pack is cuter than your pack. *Tob Control*. 2002;11:154-6.
193. Morgan Stanley Research Europe. Tobacco: Late to the Party. London: Morgan Stanley Research, 2007.
194. Anon. Imperial tobacco stock drops over concern U.K. may ban cigarette logos. Bloomberg 2008.02 June: Available from: <http://tinyurl.com/6xnmyg>
195. Carter SM. The Australian cigarette brand as product, person, and symbol. *Tob Control*. 2003;12:79iii-86. Available from: http://tc.bmjournals.com/cgi/content/abstract/12/suppl_3/iii79
196. Borland R and Lal A. Graphic health warning sizes study. Melbourne: VicHealth Centre for Tobacco Control, 2004.
197. Elliot and Shanahan Research. Developmental research for new Australian health warnings on tobacco products stage 2. Canberra: Population Health Division, Department of Health and Ageing, Commonwealth of Australia, 2003. Available from: www.health.gov.au/.../Content/health-pubhlth-strateg-drugs-tobacco-warnings.htm/SFILE/warnings_stage2.pdf
198. Trade Practices (Consumer Product Information Standards) (Tobacco) Regulations 1994. 29 March 1994 (83) Available from: <http://scaleplus.law.gov.au/html/pastereg/3/1855/pdf/2004No264.pdf>.
199. Australian Government Department of Health and Ageing. Tobacco warnings cigarette packs set A. Canberra: 2006, Last modified December 3, 2007 (viewed. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-pubhlth-strateg-drugs-tobacco-warning-packs-A.htm>
200. Australian Government Department of Health and Ageing. Tobacco warnings cigarette packs set B. Canberra: 2006, Last modified December 14, 2007 (viewed. Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-pubhlth-strateg-drugs-tobacco-warning-packs-B.htm>
201. Sanders S. Australia: Warning: outdated pack health warnings are addictive to tobacco companies *Tobacco Control* 2007;16:296. Available from: <http://tobaccocontrol.bmj.com/cgi/reprint/16/5/296>
202. Cunningham R. Package Warnings: Overview of International Developments. Toronto: Canadian Cancer Society, 2007. Available from: http://www.smoke-free.ca/warnings/WarningsResearch/Release_WarningLabels_20070320.pdf, 2007.
203. White V, Webster B and Wakefield M. Do graphic health warning labels have an impact on adolescents' smoking-related beliefs and behaviours? *Addiction*. 2008;103:1562-71. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=121372207&Act=2138&Code=4719&Page=/cgi-bin/fulltext/121372207/PDFSTART>
204. Createc. Effects of modified packaging through increasing the size of warnings on cigarette packages: Quantitative study of Canadian youth smokers and vulnerable non-smokers. HC POR-07-47. Ottawa: Health Canada, 2008. Available from: <http://epe.lac-bac.gc.ca/100/200/301/pwgs-c-tpsgc-por-ef/health/2008/254-07-e/report.pdf>
205. Scollo M. Have Australian "health warnings" adequately informed consumers about the risks posed by smoking? 2003
206. Chapman S and Carter SM. "Avoid health warnings on all tobacco products for just as long as we can": a history of Australian tobacco industry efforts to avoid, delay and dilute health warnings on cigarettes. *Tob Control*. 2003;12:13iii-22. Available from: http://tc.bmjournals.com/cgi/content/abstract/12/suppl_3/iii13
207. Commonwealth Department of Health and Ageing. Voluntary agreement for the disclosure of the ingredients of cigarettes. Commonwealth Department of Health and Ageing, 2000. (viewed. Available from: <http://www.health.gov.au/pubhlth/strateg/drugs/tobacco/agreement.pdf>
208. Phillip Morris, British American Tobacco Australasia and Imperial Tobacco Australia Ltd. Australian Cigarette Ingredient Information. Canberra: Department of Health and Ageing, 2007, Last modified 26 November 2007 (viewed June 2008). Available from: <http://www.health.gov.au/internet/wcms/publishing.nsf/content/health-pubhlth-strateg-drugs-tobacco-disclosure.htm>
209. Conference of the Parties to the World Health Organization Framework Convention on Tobacco Control. Elaboration of guidelines for implementation of Articles 9 and 10 of the WHO Framework Convention on Tobacco Control: Progress report of the working group. Provisional agenda item 4.3 FCTC/COP/3/6. Geneva: World Health Organization, 2008. Available from: http://www.who.int/gb/fctc/PDF/cop3/FCTC_COP3_6-en.pdf



210. National Cancer Institute. Risks associated with smoking cigarettes with low machine-measured yield of tar and nicotine. Smoking and Tobacco Control Monograph. Bethesda, MD: U.S. Department of Health and Human Services National Institutes of Health, National Cancer Institute, 2001.
211. Thun MJ and Burns DM. Health impact of "reduced yield" cigarettes: a critical assessment of the epidemiological evidence. *Tob Control*. 2001;10:i4-11.
212. Kozlowski LT, Rickert WS, Pope MA, Robinson JC and Frecker RC. Estimating the yield to smokers of tar, nicotine, and carbon monoxide from the 'lowest yield' ventilated filter-cigarettes *Addiction*. 1982;77:159-65.
213. Kozlowski LT, Dreschel NA, Stellman SD, Wilkenfeld J, Weiss EB and Goldberg ME. An extremely compensatable cigarette by design: documentary evidence on industry awareness and reactions to the Barclay filter design cheating the tar testing system. *Tobacco Control*. 2005;14:64-70. Available from: <http://ejournals.ebsco.com/direct.asp?ArticleID=4D458B67AC619260FCA9>
214. Pickworth W, Fant R, Nelson R and Henningfield JE. Effects of cigarette smoking through a partially occluded filter. *Pharmacology Biochemistry and Behavior*. 1998;60:817-21.
215. Kozlowski L, O'Connor R and Sweeney C. Cigarette design, Risks Associated with Smoking Cigarettes with Low Machine-Measured Yields of Tar and Nicotine. Smoking and Tobacco Control Monograph 13., Bethesda, MD: U.S. Dept of Health and Human Services, National Institutes of Health, National Cancer Institute, NIH Pub., 2001; 13-38.
216. Federal Trade Commission. FTC Approves Federal Register Notice Extending Comment Period on Current Cigarette Test Method. 2008, Last modified July 2008 (viewed September 2008). Available from: <http://ftc.gov/opa/2008/07/cigarette2.shtml>
217. Borland R, Fong GT, Yong HH, Cummings KM, Hammond D, King B, et al. What Happened to Smokers' Beliefs about Light Cigarettes When "Light/Mild" Brand Descriptors Were Banned in the UK? Findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2008;tc.2007.023812. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/tc.2007.023812v1>
218. Gray N. The global cigarette. *BMJ (Clinical Research Ed.)*. 1996;313:1348. Available from: <http://www.bmj.com/cgi/content/full/313/7069/1348>
219. Gray N. Regulation of consumer products: the bizarre case of strawberry jam and cigarettes. *Respirology*. 2008;13:761-3. Available from: <http://www3.interscience.wiley.com/user/accessdenied?ID=121393115&Act=2138&Code=4719&Page=/cgi-bin/fulltext/121393115/HTMLSTART>
220. Gray N. The need for tobacco regulation. *Tobacco Control*. 2006;15:145. Available from: <http://tobaccocontrol.bmj.com/cgi/content/extract/15/3/145>
221. Gray N and Boyle P. The regulation of tobacco and tobacco smoke. *Annals of Oncology*. 2000;11:909-14. Available from: <http://www.ingentaconnect.com/content/klu/anno/2000/00000011/00000008/00275055>
222. King B and Borland R. The "low tar" strategy and the changing construction of Australian cigarettes. *Nicotine Tob Res*. 2004;6:85-94.
223. Hammond D, Wiebel F, Kozlowski LT, Borland R, Cummings KM, O'Connor RJ, et al. Revising the machine smoking regime for cigarette emissions: implications for tobacco control policy. *Tob Control*. 2007;16:8-14. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/16/1/8>
224. Kozlowski LT, O'Connor RJ, Giovino GA, Whetzel CA, Pauly J and Cummings KM. Maximum yields might improve public health--if filter vents were banned: a lesson from the history of vented filters. *Tob Control*. 2006;15:262-6. Available from: <http://tc.bmjournals.com/cgi/content/abstract/15/3/262>
225. Rabinoff M, Caskey N, Rissling A and Park C. Pharmacological and chemical effects of cigarette additives. *American Journal of Public Health*. 2007;97:1981-91. Available from: <http://www.ajph.org/cgi/reprint/97/11/1981>
226. Burns DM, Dybing E, Gray N, Hecht S, Anderson C, Sanner T, et al. Mandated lowering of toxicants in cigarette smoke: a description of the World Health Organization TobReg proposal. *Tobacco Control*. 2008;17:132-41. Available from: <http://tobaccocontrol.bmj.com/content/vol17/issue2/>
227. Chapman S. Benefits and risks in ending regulatory exceptionalism for tobacco. *Tobacco Control*. 2008;17:73-4. Available from: <http://tobaccocontrol.bmj.com/content/vol17/issue2/>
228. Borland R. A strategy for controlling the marketing of tobacco products: A regulated market model. *Tobacco Control*. 2003;12:374-82.
229. Broadstock M. Systematic review of the health effects of modified smokeless tobacco products New Zealand Health Technology Assessment Systematic Reviews, 1. Christchurch, New Zealand: Department of Public Health and General Practice, 2007. Available from: http://nzhta.chmmeds.ac.nz/publications/smokeless_tobacco.pdf
230. Gartner CE, Hall WD, Vos T, Bertram MY and Wallace AL. Swedish snus for tobacco harm reduction - Authors' reply. *Lancet*. 2007;370:1206-7. Available from: <http://www.thelancet.com/journals/lancet/article/PIIS0140673607615323/fulltext>
231. Gartner CE, Hall WD, Vos T, Bertram MY, Wallace AL and Lim SS. Assessment of Swedish snus for tobacco harm reduction: an epidemiological modelling study. *The Lancet* 2007;369:210-14.
232. Haglund B, Eliasson M, Stenbeck M and Rosen M. Is moist snuff use associated with excess risk of IHD or stroke? A longitudinal follow-up of snuff users in Sweden. *Scandinavian Journal of Public Health*. 2007;35:618-22. Available from: <http://sjp.sagepub.com/cgi/content/abstract/35/6/618>
233. Hergens M-P, Alfredsson L, Bolinder G, Lambe M, Pershagen G and Ye W. Long-term use of Swedish moist snuff and the risk of myocardial infarction amongst men. *Journal of Internal Medicine*. 2007;262:351-9. Available from: <http://www.blackwell-synergy.com/doi/pdf/10.1111/j.1365-2796.2007.01816.x>

- 
234. Hergens M-P, Lambe M, Pershagen G and Ye W. Risk of hypertension amongst Swedish male snuff users: a prospective study. *Journal of Internal Medicine*. 2008;Epub ahead of print Available from: http://www.ncbi.nlm.nih.gov/pubmed/18393959?ordinalpos=24&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief
235. Nyrén O, Luo J, Ye W, Adami H-O and Boffetta P. Snus and the risk of cancer of the mouth, lung, and pancreas – Authors’ reply. *Lancet*. 2007;370:1208. Available from: <http://www.thelancet.com/journals/lancet/article/PIIS0140673607615347/fulltext>
236. Rodu B. Snus and the risk of cancer of the mouth, lung, and pancreas. *Lancet*. 2007;370:1207–8. Available from: <http://www.thelancet.com/journals/lancet/article/PIIS0140673607615335/fulltext>
237. Weitkunat R, Sanders E and Lee PN. Meta-analysis of the relation between European and American smokeless tobacco and oral cancer. *BMC Public Health*. 2007;7:334. Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-7-334.pdf>
238. Michael C Tate Minister of State for Justice and Consumer Affairs. Consumer protection notice no. 10, 1991. S 144 Tuesday 4th June, Australian Government Publishing Service. Available from: [http://www.accc.gov.au/content/item.phtml?itemId=780174&nodeId=d10cf869175f91b5edccea8d08a7e332&fn=Permanent%20ban%20on%20tobacco%20products%20\(smokeless\)%20-%20Consumer%20Protection%20Notice%20No.%2010%20of%201991.pdf](http://www.accc.gov.au/content/item.phtml?itemId=780174&nodeId=d10cf869175f91b5edccea8d08a7e332&fn=Permanent%20ban%20on%20tobacco%20products%20(smokeless)%20-%20Consumer%20Protection%20Notice%20No.%2010%20of%201991.pdf)
239. Gartner CE and Hall WD. Should Australia lift its ban on low nitrosamine smokeless tobacco products? . *MJA*. 2008;188:44-6.
240. Britton J. Should doctors advocate snus and other nicotine replacements? Yes. *BMJ*. 2008;336:358. Available from: <http://www.bmj.com/cgi/content/full/336/7640/358>
241. Laugesen M. Snuffing out cigarette sales and the smoking deaths epidemic. *New Zealand Medical Journal* 2007;120:U2587. Available from: <http://www.nzma.org.nz/journal/120-1256/2587/>
242. Rodu B and Godshall WT. Tobacco harm reduction: An alternate cessation strategy for inveterate smokers. *Harm Reduction Journal*. 2006;3:37. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1779270>
243. Szalavitz M. Tobacco substitutes: Snus and harm reduction. *Public Library of Science Medicine*. 2007;4:e282. Available from: <http://medicine.plosjournals.org/periserv/?request=get-document&doi=10.1371%2Fjournal.pmed.0040282>
244. The Lancet. Adding harm reduction to tobacco control. *Lancet*. 2007;370:1189. Available from: <http://www.thelancet.com/journals/lancet/article/PIIS0140673607615190/fulltext>
245. Britton J and Edwards R. Tobacco smoking, harm reduction, and nicotine product regulation. *Lancet*. 2008;371:441–5. Available from: <http://download.thelancet.com/pdfs/journals/0140-6736/PIIS0140673607614822.pdf>
246. American Cancer Society. Smokeless tobacco: harm reduction debatable CA: a cancer journal for clinicians. 2008;58:4-6. Available from: <http://caonline.amcancersoc.org/cgi/content/full/58/1/4>
247. Chapman S. Should the health community promote smokeless tobacco (Snus): author’s reply. *Public Library of Science Medicine*. 2007;4:1704–5. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2043002>
248. Chapman S. Repealing Australia’s ban on smokeless tobacco? Hasten slowly. *Medical Journal of Australia*. 2008;188:47–9. Available from: http://www.mja.com.au/public/issues/188_01_070108/cha11127_fm.pdf
249. Mellows P. Tobacco: Smoke-free alternatives. *The Publican*, August 1 2007. Available from: <http://www.thepublican.com/story.asp?sectioncode=6&storycode=56387>
250. Rooney e-cigarette and e-cigar shop - The first patented possibility to stop smoking within a long term nicotine delivery device. Frankfurt: 2008. (viewed 23 May 2008). Available from: http://shop.strato.de/epages/61267354.sf/en_GB/
251. Tee cee trade. Tee cee trade wholesale Euro-Cig - lowest online wholesale prices in Europe. Netherlands: (viewed. Available from: <http://www.euro-cig.eu/>
252. Chapman S. 4 Dead customers are unprofitable customers: Potential and pitfalls in harm reduction and product regulation *Public Health Advocacy and Tobacco Control: Making Smoking History*, Blackwell Publishing, 2007; Available from: <http://www.blackwellpublishing.com/contents.asp?ref=9781405161633&site=1>
253. Martinet Y, Bohadana A and Fagerström K. Introducing oral tobacco for tobacco harm reduction: What are the main obstacles? *Harm Reduction Journal* 2007;7:17. Available from: <http://www.harmreductionjournal.com/content/pdf/1477-7517-4-17.pdf>
254. Macara AW. Should doctors advocate snus and other nicotine replacements? No. *BMJ*. 2008;336:359. Available from: <http://www.bmj.com/cgi/content/full/336/7640/359>
255. Canova D, Myers ML, Smith DE and Slade J. Changing the future of tobacco marketing by understanding the mistakes of the past: lessons from “Lights”. *Tob Control*. 2001;10:i43-4.
256. Collier R. Critics raise stink about cigarettes with less tobacco smell. *CanWest News Services*, 10 December 2007. Available from: <http://www.canada.com/topics/news/national/story.html?id=d522153b-fa74-4f2e-a458-bca6df756cb7&k=741911D>
257. Hébert R. What’s new in nicotine & tobacco research? *Nicotine & Tobacco Research*. 2007;9:983–6. Available from: <http://www.informaworld.com/smpp/content~content=a783057150~db=all~order=page>
258. Pederson LL and Nelson DE. Literature review and summary of perceptions, attitudes, beliefs, and marketing of potentially reduced exposure products: Communication implications. *Nicotine & Tobacco Research*. 2007;9:525–34. Available from: <http://www.informaworld.com/smpp/content~content=a777523065~db=all>



259. Ritter A and Cameron J. A review of the efficacy and effectiveness of harm reduction strategies for alcohol, tobacco and illicit drugs. *Drug and Alcohol Review*. 2006;25:611–24 Available from: <http://www.informaworld.com/smpp/content?content=10.1080/09595230600944529>
260. Smale W. Are safer cigarettes just a pipe dream? UK: BBC News, 2006, (viewed. Available from: <http://news.bbc.co.uk/1/hi/business/5410362.stm>
261. Tobacco Advisory Group of the Royal College of Physicians. Harm reduction in nicotine addiction: Helping people who can't quit. Royal College of Physicians, 2007. Available from: <http://www.rcplondon.ac.uk/pubs/brochure.aspx?e=234>
262. Fong G, Hammond D, Laux F, Zanna M, Cummings K, Borland R, et al. The near-universal experience of regret among smokers in four countries: findings from the International Tobacco Control Policy Evaluation Survey. *Nicotine & Tobacco Research*. 2004;6:S341–51. Available from: <http://www.informaworld.com/smpp/content~content=a753998174~db=all~order=page>
263. DiFranza J, Rigotti N, McNeill A, Ockene J, Savageau J, Cyr D, et al. Initial symptoms of nicotine dependence in adolescents. *Tobacco Control*. 2000;9:313–9. Available from: <http://tobaccocontrol.bmj.com/cgi/content/full/9/3/313>
264. O'Loughlin J, Paradis G, Kim W, DiFranza J, Meshefedjian G, McMillan-Davey E, et al. Genetically decreased CYP2A6 and the risk of tobacco dependence: a prospective study of novice smokers. *Tobacco Control*. 2004;13:422–8. Available from: <http://tc.bmjournals.com/cgi/content/abstract/13/4/422>
265. DiFranza JR, Riggs N and Pentz MA. Time to re-examine old definitions of nicotine dependence. *Nicotine & Tobacco Research*. 2008;10:1109 – 11. Available from: <http://www.informaworld.com/smpp/content~content=a794496459~db=all~order=page>
266. DiFranza JR and Ursprung WWSA. The latency to the onset of nicotine withdrawal: A test of the sensitization-homeostasis theory. *Addictive Behaviors*. 2008;Epub ahead of print Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-4SFXXBJ-3&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=b0043f06e718b7562b2687e8709da490
267. Scragg R, Wellman R, Laugesen M and DiFranza J. Diminished autonomy over tobacco can appear with the first cigarettes. *Addictive Behaviors*. 2008;33:689–98. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VC9-4RCKJW1-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=b71e006978dd2ff07f8871a070d2ecd6
268. Counotte DS, Spijker S, Van de Burgwal LH, Hogenboom F, Schoffelmeer AN, De Vries TJ, et al. Long-lasting cognitive deficits resulting from adolescent nicotine exposure in rats. *Neuropsychopharmacology*. 2008;Epub ahead of print Available from: <http://www.nature.com/npp/journal/vaop/ncurrent/abs/npp200896a.html>
269. US Department of Health and Human Services. Preventing tobacco use among young people: A report of the Surgeon General. Atlanta: US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1994. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/sgr_1994/index.htm
270. US Department of Health and Human Services. The Health Consequences of Smoking: Cancer. A report of the US Surgeon General. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Office on Smoking and Health, 1982. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm
271. US Department of Health and Human Services. The Health Consequences of Smoking: Cardiovascular Disease. Rockville, Maryland: Public Health Service, Office on Smoking and Health, 1983. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm
272. Chuang Y-C, Cubbin C, Ahn D and Winkleby MA. Effects of neighbourhood socioeconomic status and convenience store concentration on individual level smoking. *J Epidemiol Community Health*. 2005;59:568–73. Available from: <http://jech.bmj.com/cgi/content/abstract/59/7/568>
273. Henriksen L, Feighery E, Schleicher N, Cowling D, Kline R and Fortmann S. Is adolescent smoking related to the density and proximity of tobacco outlets and retail cigarette advertising near schools? *Preventive Medicine*. 2008;Epub ahead of print Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WPG-4SD29JN-2&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=b3d105bf6ab8e3f5775fa766c37218a4
274. Asumda F and Jordan L. Minority youth access to tobacco: A neighborhood analysis of underage tobacco sales. *Health Place*. 2008;Epub ahead of print Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VH5-4S4JYWH-3&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=619abfee8aa7188bc0a34e0b2ca19c25
275. Pearce J, Hiscock R, Moon G and Barnett R. The neighbourhood effects of geographical access to tobacco retailers on individual smoking behaviour. *Journal of Epidemiology and Community Health*. 2008;(Epub ahead of print). Available from: <http://jech.bmj.com/cgi/rapidpdf/jech.2007.070656v1>
276. Lipton R, Banerjee A, Levy D, Manzanilla N and Cochrane M. The spatial distribution of underage tobacco sales in Los Angeles. *Substance Use and Misuse*. 2008;43:1597–617. Available from: <https://s100.copyright.com/AppDispatchServlet?IdPubID=tandf&IdSerialID=&IdOfferID=&IdTargetPage=quickprice&IdTitle=The+Spatial+Distribution+of+Underage+Tobacco+Sales+in+Los+Angeles&IdPublication=LSUM&IdContentID=10.1080%2F10826080802241110&IdPubDate=Sep+24%2C+2008>
277. Hyland A, Travers M, Cummings M and al e. Tobacco outlet density and demographics in Erie County, New York. *Am J Public Health*. 2000;92:937-40.



278. The Allen Consulting Group. Licensing of Tobacco Retailers and Wholesalers. Canberra: Report to the Commonwealth Department of Health and Ageing, Endorsed by the Intergovernmental Committee on Drugs, 2002. (viewed. Available from: http://www.health.gov.au/pubhlth/publicat/document/licensing_tobacco.pdf)
279. National Cancer Institute. The Role of the Media. Smoking and Tobacco Control Monograph No. 19. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008. Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
280. Pierce J, Dwyer T, Frape G, Chapman S, Chamberlain A and Burke N. Evaluation of the Sydney "Quit For Life" anti-smoking campaign. Part 1. Achievement of intermediate goals. *Med J Aust.* 1986;144
281. Pierce J, Macaskill A and Hill D. Long-term effectiveness of mass media led antismoking campaigns in Australia. *American Journal of Public Health.* 1990;80:565-9.
282. Sowden AJ and Arblaster L. Mass media interventions for preventing smoking in young people. *The Cochrane Library, Issue 2 Oxford: Update Software.*, 2002. (viewed. Available from: <http://www.updateusa.com/clibpw/clib.htm>)
283. Bala M, Strzeszynski L and Cahill K. Mass media interventions for smoking cessation in adults. *Cochrane Database of Systematic Reviews* 2008 Art. No.: CD004704. DOI: 10.1002/14651858.CD004704. pub2London: John Wiley Publishing Ltd, 2008, Last modified 23 January 2008 (viewed April 2008). Available from: <http://www.cochrane.org/reviews/en/ab004704.html>
284. National Cancer Institute. Part 4-Tobacco control and media interventions, The Role of the Media. Smoking and Tobacco Control Monograph No. 19, Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
285. Farrelly MC, Pechacek TF, Thomas KY and Nelson D. The impact of tobacco control programs on adult smoking. *Am J Public Health.* 2008;AJP.2006.106377. Available from: <http://www.ajph.org/cgi/content/abstract/AJP.2006.106377v1>
286. Ciecierski C, Chatterji P, Chaloupka F and Weschler H. Do state expenditures on tobacco control programs decrease use of tobacco products among college students? Cambridge, Massachusetts: National Bureau of Economic Research, 2006. Available from: <http://www.nber.org/papers/w12532>
287. Wakefield M, Durkin S, Spittal M, Siahpush M, Scollo M, Simpson J, et al. Impact of tobacco control policies and mass media campaigns on monthly adult smoking prevalence: time series analysis. *American Journal of Public Health.* 2008;98:1443-50. Available from: <http://www.ajph.org/cgi/content/abstract/98/8/1443>
288. Wakefield M and Spittal M. Compilations of monthly TARPs, AC Nielsen. 2008.
289. Pierce J, Gilpin E, Emery S, White M, Rosbrook B and Berry C. Has the Californian tobacco control program reduced smoking? *Am J Public Health.* 2000;90:893-9.
290. Tobacco Education Oversight Committee. Towards a Tobacco-Free California: Mastering the Challenges, 1995-1997. Sacramento: Department of Health California, 1995.
291. Niederdeppe J, Farrelly MC, Hersey JC and Davis KC. Consequences of Dramatic Reductions in State Tobacco Control Funds: Florida, 1998-2000. *Tob Control.* 2008;17:205-10. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/3/205?etoc>
292. Baum F. Cracking the nut of health equity: top down and bottom up pressure for action on the social determinants. *IUHPE- Promotion and Education.* 2007;XIV:90-119.
293. Siahpush M and Borland R. Trends in sociodemographic variations in smoking prevalence, 1997-2000, Australia's National Tobacco Campaign: Evaluation Report, Volume Three, Canberra: Commonwealth Department of Health and Aged Care, 2002; Available from: [http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/\\$File/tobccamp3.pdf](http://www.health.gov.au/internet/wcms/Publishing.nsf/Content/88ED1349FD03EB05CA257331000C3A17/$File/tobccamp3.pdf)
294. Macaskill P, Pierce JP, Simpson JM and Lyle DM. Mass media-led antismoking campaign can remove the education gap in quitting behavior. *Am J Public Health.* 1992;82:96-8. Available from: <http://www.ajph.org/cgi/content/abstract/82/1/96>
295. Centre for Behavioural Research in Cancer. Quit evaluation studies. Melbourne: Victorian Smoking and Health Program, 1986 to 2001. Available from: <http://www.quit.org.au/browse.asp?ContainerID=1755>
296. Niederdeppe J, Kuang X, Crock B and Skelton A. Media campaigns to promote smoking cessation among socioeconomically disadvantaged populations: What do we know, what do we need to learn, and what should we do now? *Social Science & Medicine.* 2008;67:1343-55. Available from: http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6VBF-4T5D9NP-1-1&_cdi=5925&_user=10&_orig=search&_coverDate=08%2F07%2F2008&_sk=999999999&view=c&wchp=dGLbVlb-zSkzV&md5=8cdeb71572e67421c4f6bde6f18f9e99&ie=/sdataarticle.pdf
297. Nelson D, Gallogly M, Pederson L, Barry M, McGoldrick D and Maibach E. Use of consumer survey data to target cessation messages to smokers through mass media. *American Journal of Public Health.* 2008;98:536-42. Available from: <http://www.ajph.org/cgi/reprint/98/3/536>
298. Viswanath K and Finnegan J. The knowledge-gap hypothesis: Twenty-five years later, in Buleson, B., Editor, *Communication yearbook* 19, Thousand Oaks: Sage Publications, 1996;
299. Viswanath K, Breen N, Meissner H, Moser RP, Hesse B, Steele WR, et al. Cancer knowledge and disparities in the Information Age. *Journal of Health Communication.* 2006;11:1-17.
300. Viswanath K and Emmons KM. Message effects and social determinants of health: its application to cancer disparities. *Journal of Communication.* 2006;56:s238-64.
301. Dal Cin S, Zanna M and Fong G. Narrative persuasion and overcoming resistance, in Knowles, E. and J. Linn, Editors, *Resistance to persuasion*, Mahwah, NJ: Erlbaum, 2004;



302. Heath C, Bell C and Sternberg E. Emotional selection in memes: The case of urban legends. *Journal of Personality and Social Psychology*. 2001;81:1028–41. Available from: <http://content.apa.org/journals/psp/81/6/1028>
303. Luminet O, Bouts P, Delie F, Manstead A and Rime B. Social sharing of emotion following exposure to negatively valenced situation. *Cognition and Emotion*. 2000;14:661–88. Available from: <http://www.informaworld.com/smpp/content~content=a713751280~db=all>
304. Lyons A and Kashima Y. How are stereotypes maintained through communication?: The influence of stereotype sharedness. *Journal of Personality and Social Psychology*. 2003;85:989–1005. Available from: <http://content.apa.org/journals/psp/85/6/989>
305. Green M and Brock T. The role of transportation in the persuasiveness of public narratives. *Journal of personality and social psychology*. 2000;79:701–21. Available from: <http://content.apa.org/journals/psp/79/5/701>
306. Green M. Narratives and Cancer Communication. *Journal of Communication*. 2006;56:S163–83. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1460-2466.2006.00288.x>
307. Slater M. Entertainment education and the persuasive impact of narratives, in Green, M., J. Strange, and T. Brock, Editors, *Narrative impact: social and cognitive foundations*, Mahwah, NJ: Erlbaum, 2002; 157–81.
308. Biener L, McCallum-Keeler G and Nyman A. Adults' response to Massachusetts anti-tobacco television advertisements: impact of viewer and advertisement characteristics. *Tobacco Control*. 2000;9:401–7. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/9/4/401>
309. Watt J. Overview, in Trotter, L. and R. Mullins, Editors, *Quit Evaluation Studies No. 9*, Melbourne: Centre for Behavioural Research in Cancer, Anti-Cancer Council of Victoria, 1998;
310. Hill D, Borland R, Carrol T, Donovan R and Taylor J. Perspectives of the Australian National Tobacco Campaign, in Hassard K, Editor, *Australia's National Tobacco Campaign, Evaluation Volume Two*, Canberra: Commonwealth Department of Health and Aged Care, 2000; 1-9. Available from: <http://www.quitnow.info.au/internet/quitnow/publishing.nsf/Content/evaluation-reports>
311. Hill D and Alcock J. Background to campaign, in Hassard, K., Editor, *Australia's National Tobacco Campaign: Evaluation Report Volume One*, Canberra: Commonwealth Department of Health and Aged Care, 1999; Available from: <http://www.quitnow.info.au/internet/quitnow/publishing.nsf/Content/evaluation-reports>
312. Alcock J. Background to the Campaign in 1998, *Australia's National Tobacco Campaign. Evaluation Report Volume Two*, Canberra: Commonwealth Department of Health and Aged Care, 2000; 11-20.
313. Erbas B, Bui Q, Huggins R, Harper T and White V. Investigating the relation between placement of Quit antismoking advertisements and number of telephone calls to Quitline: a semiparametric modelling approach. *Tob Control*. 2006;15:74-. Available from: <http://tc.bmjournals.com>
314. Carroll T and Rock B. Generating Quitline calls during Australia's National Tobacco Campaign: effects of television advertisement execution and programme placement. *Tob Control*. 2003;12:1140-114.
315. Nielsen Media Research. *Australia's Top Advertisers*. Ad News. 2008;21 March:32-42.
316. Mitchell's Media Buying Agency, Melbourne: *Rough ballpark costings of cost of achieving 400 and 700 TARPs per months in all media markets in Australia*. Spreadsheet provided to Fiona Sharkie Director Quit Victoria, 2008.
317. Chapman S and Dominello A. A strategy for increasing news media coverage of tobacco and health in Australia. *Health Promotion International*. 2001;16:137–43. Available from: <http://heapro.oxfordjournals.org/cgi/content/full/16/2/137>
318. Burns D and Warner K. Smokers Who Have Not Quit: Is Cessation More Difficult and Should We Change Our Strategies, in *Those who Continue to Smoke, Smoking and Tobacco Control Monograph No. 15*, Bethesda, MD: US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Cancer Institute, 2003;
319. Moher M, Hey K and Lancaster T. Workplace interventions for smoking cessation. *Cochrane Database of Systematic Reviews 2005(2)*: DOI: [10.1002/14651858.CD003440.pub2](https://doi.org/10.1002/14651858.CD003440.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD003440/frame.html>
320. Royal College of Physicians of London. *Nicotine Addiction in Britain A report of the Tobacco Advisory Group of the Royal College of Physicians*. London, 2000.
321. US Department of Health and Human Services. *The Health Consequences of Smoking: Nicotine Addiction*. Rockville, Maryland: US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 1988. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm
322. Siegel M. Food and Drug Administration regulation of tobacco: snatching defeat from the jaws of victory. *Tob Control*. 2004;13:439-41. Available from: <http://tc.bmjournals.com>
323. US Department of Health and Human Services. *The Health Benefits of Smoking Cessation. A report of the Surgeon General*. Atlanta, GA: Centers for Disease Control, Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 1990. Available from: http://www.cdc.gov/tobacco/data_statistics/sgr/previous_sgr.htm
324. Stead LF, Perera R, Bullen C, Mant D and Lancaster T. Nicotine replacement therapy for smoking cessation. *Cochrane Database of Systematic Reviews 2008(1)*: DOI: [10.1002/14651858.CD000146.pub3](https://doi.org/10.1002/14651858.CD000146.pub3) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000146/frame.html>
325. Hughes JR, Stead LF and Lancaster T. Antidepressants for smoking cessation. *Cochrane Database of Systematic Reviews 2007(1)*: DOI: [10.1002/14651858.CD000031.pub3](https://doi.org/10.1002/14651858.CD000031.pub3) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000031/frame.html>

- 
326. Lancaster T and Stead LF. Mecamylamine (a nicotine antagonist) for smoking cessation. *Cochrane Database of Systematic Reviews* 1998(2): DOI: [10.1002/14651858.cd001009](https://doi.org/10.1002/14651858.cd001009) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001009/frame.html>
327. Hughes JR, Stead LF and Lancaster T. Anxiolytics for smoking cessation. *Cochrane Database of Systematic Reviews* 2000(4): DOI: [10.1002/14651858.cd002849](https://doi.org/10.1002/14651858.cd002849) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD002849/frame.html>
328. David S, Lancaster T, Stead LF and Evins AE. Opioid antagonists for smoking cessation. *Cochrane Database of Systematic Reviews* 2006(4): DOI: [10.1002/14651858.CD003086.pub2](https://doi.org/10.1002/14651858.CD003086.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD003086/frame.html>
329. Cahill K and Ussher M. Cannabinoid type 1 receptor antagonists (rimonabant) for smoking cessation. *Cochrane Database of Systematic Reviews* 2007(4): DOI: [10.1002/14651858.CD005353.pub3](https://doi.org/10.1002/14651858.CD005353.pub3) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD005353/frame.html>
330. Cahill K, Stead LF and Lancaster T. Nicotine receptor partial agonists for smoking cessation. *Cochrane Database of Systematic Reviews* 2007(1): DOI: [10.1002/14651858.CD006103.pub2](https://doi.org/10.1002/14651858.CD006103.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD006103/frame.html>
331. Pierce JP and Gilpin EA. Impact of Over-the-Counter sales on effectiveness of pharmaceutical aids for smoking cessation *JAMA*. 2002;288:1260-64.
332. Shiffman S, Rolf CN, Hellebusch SJ, Gorsline J, Gorodetzky CW, Chiang YK, et al. Real-world efficacy of prescription and over-the-counter nicotine replacement therapy. *Addiction*. 2002;97:505-16.
333. West R and Zhou X. Is nicotine replacement therapy for smoking cessation effective in the "real world"? Findings from a prospective multinational cohort study. *Thorax*. 2007;62 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17573444>
334. Lancaster T and Stead LF. Individual behavioural counselling for smoking cessation. *Cochrane Database of Systematic Reviews* 2005(2): DOI: [10.1002/14651858.CD001292.pub2](https://doi.org/10.1002/14651858.CD001292.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001292/frame.html>
335. Stead LF, Perera R and Lancaster T. Telephone counselling for smoking cessation. *Cochrane Database of Systematic Reviews* 2006(3): DOI: [10.1002/14651858.CD002850.pub2](https://doi.org/10.1002/14651858.CD002850.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD002850/frame.html>
336. Stead LF and Lancaster T. Group behaviour therapy programmes for smoking cessation. *Cochrane Database of Systematic Reviews* 2005(2): DOI: [10.1002/14651858.CD001007.pub2](https://doi.org/10.1002/14651858.CD001007.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001007/frame.html>
337. Lancaster T and Stead LF. Self-help interventions for smoking cessation. *Cochrane Database of Systematic Reviews* 2005(3): DOI: [10.1002/14651858.CD001118.pub2](https://doi.org/10.1002/14651858.CD001118.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001118/frame.html>
338. Borland R, Balmford J and Hunt D. The effectiveness of personally tailored computer-generated advice letters for smoking cessation. *Addiction*. 2004;99:369-77. Available from: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14982550
339. Brendryen H and Kraft P. Happy Ending: a randomized controlled trial of a digital multi-media smoking cessation intervention. 103. 2008;3:478-84. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2007.02119.x>
340. Lancaster T, Stead LF, Cahill K, R. W. Aveyard PN and R. HJ. *Cochrane Tobacco Addiction Group*. 2008(2008 Issue 2): Available from: <http://www.mrw.interscience.wiley.com/cochrane/clabout/articles/TOBACCO/frame.html>
341. Stead LF, Perera R and Lancaster T. A systematic review of interventions for smokers who contact quitlines. *Tob Control*. 2007;16:i3-8. Available from: http://tobaccocontrol.bmj.com/cgi/content/abstract/16/Suppl_1/i3
342. Fiore MC and Jaén CR. A Clinical Blueprint to Accelerate the Elimination of Tobacco Use. *JAMA*. 2008;299:2083-5. Available from: <http://jama.ama-assn.org/cgi/content/full/299/17/2083>
343. Fiore MC, Jaén M, Carlos Roberto, Baker TB, Bailey WC, Benowitz NL, Curry SJ, et al. Treating tobacco use and dependence. *Clinical Practice Guidelines*. . Rockville, MD: US Department of Health and Human Services, 2006. Available from: http://www.surgeongeneral.gov/tobacco/treating_tobacco_use08.pdf
344. Stead LF, Bergson G and Lancaster T. Physician advice for smoking cessation. *Cochrane Database of Systematic Reviews* 2008(2): DOI: [10.1002/14651858.CD000165.pub3](https://doi.org/10.1002/14651858.CD000165.pub3) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000165/frame.html>
345. Carr AB and Ebbert JO. Interventions for tobacco cessation in the dental setting. *Cochrane Database of Systematic Reviews* 2006(1): DOI: [10.1002/14651858.CD005084.pub2](https://doi.org/10.1002/14651858.CD005084.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD005084/frame.html>
346. Rice VH and Stead LF. Nursing interventions for smoking cessation. *Cochrane Database of Systematic Reviews* 2008(1): DOI: [10.1002/14651858.CD001188.pub3](https://doi.org/10.1002/14651858.CD001188.pub3) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001188/frame.html>
347. Russell M, Wilson C, Taylor C and Baker C. Effect of general practitioners' advice against smoking. *British Medical Journal*. 1979;2:231-5. Available from: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1595592&blobtype=pdf>
348. West R. The clinical significance of 'small' effects of smoking cessation treatments. *Addiction*. 2007;102:506-9. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2007.01750.x>
349. Tengs T and Osgood N. The link between smoking and impotence: Two decades of evidence. *Prev Med*. 2001;32:337-452.



350. Urbis Keys Young, Borland R and Quay Connection. Barriers to access of smoking cessation programs, nicotine replacement therapy and other pharmacotherapies. 2002.
351. Wilson N, Grigg M, Graham L and Cameron G. The effectiveness of television advertising campaigns on generating calls to a national Quitline by Maori. *Tob Control*. 2005;14:284-6. Available from: <http://tc.bmjournals.com/cgi/content/abstract/14/4/284>
352. West R, McNeill A and Raw M. Smoking cessation guidelines for health professionals: an update. *Thorax*. 2000;55
353. Fiore M, Bailey W and Cohen S, et al. Treating Tobacco Use and Dependence. Clinical Practice Guideline. Rockville MD: US Department of Health and Human Services. Public Health Service., 2000. Available from: <http://www.surgeongeneral.gov/tobacco/>
354. NZ Ministry of Health. NZ Smoking Cessation Guidelines. Wellington. Wellington: Ministry of Health, 2007. Available from: <http://www.moh.govt.nz/moh.nsf/indexmhz-smoking-cessation-guidelines>
355. Zwar N, Richmond R, Borland R, Stillman S and Cunningham M. Smoking cessation guidelines for Australian general practice. *Australian Family Physician*. 2005;34:461-4.
356. Zwar N, Richmond R, Borland R, Stillman S, Cunningham M and Litt J. Smoking Cessation Guidelines for Australian General Practice: Practice Handbook. Canberra: Department of Health and Ageing, 2004. (viewed. Available from: http://www.health.gov.au/pubhlth/publicat/document/smoking_cessation.pdf
357. Borland R and Segan C. The potential of quitlines to increase smoking cessation. *Drug and Alcohol Review*. 2006;25:73-8.
358. Young J, Girgis S, Bruce T, Hobbs M and Ward J. Acceptability and effectiveness of opportunistic referral of smokers to telephone cessation advice from a nurse: a randomised trial in Australian general practice. *BMC Family Practice*. 2008;9:16. Available from: <http://www.biomedcentral.com/content/pdf/1471-2296-9-16.pdf>
359. Murray RL, Coleman T, Antoniak M, Stocks J, Fergus A, Britton J, et al. The effect of proactively identifying smokers and offering smoking cessation support in primary care populations: a cluster-randomized trial *Addiction* 2008;103:998-1006.
360. Borland R, Balmford J, Bishop N, Segan C, Piterman L, McKay-Brown L, et al. In-practice management versus quitline referral for enhancing smoking cessation in general practice: a cluster randomized trial. *Family practice*. 2008; (Epub ahead of print) Available from: <http://fampra.oxfordjournals.org/cgi/content/full/cmn046v1>
361. Gordon JS, Andrews JA, Crews KM, Payne TJ and Severson HH. The 5A's vs 3A's plus proactive quitline referral in private practice dental offices: preliminary results. *Tob Control*. 2007;16:285-8. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/16/4/285>
362. Perry R, Keller P, Fraser D and Fiore M. Fax to quit: a model delivery of tobacco cessation services to Wisconsin residents. *WMMJ*. 2005;104:37-44.
363. Joyce G. The effectiveness of covering smoking cessation services for Medicare beneficiaries. *Health Services Research*. 2008;epubs
364. Rigotti NA, Munafo MR and Stead LF. Interventions for smoking cessation in hospitalised patients. *Cochrane Database of Systematic Reviews* 2007(3): DOI: [10.1002/14651858.CD001837.pub2](https://doi.org/10.1002/14651858.CD001837.pub2) Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001837/frame.html>
365. Freund MAG, Campbell EM, Paul CL, Wiggers JH, Knight JJ and Mitchell EN. Provision of smoking care in NSW hospitals: Opportunities for further enhancement. *New South Wales Public Health Bulletin*. 2008;19:50-5. Available from: <http://www.publish.csiro.au/index.cfm?paper=NB07102>
366. McNeill A, Raw M, Whybrow J and Bailey P. A national strategy for smoking cessation treatment in England. *Addiction*. 2005;100 Suppl 2:1-11.
367. McNeill A, Foulds J and Bates C. Regulation of nicotine replacement therapies (NRT): a critique of current practice. *Addiction*. 2001;96:1757-68.
368. West R, DiMarino ME, Gitchell J and McNeill A. Impact of UK policy initiatives on use of medicines to aid smoking cessation. *Tob Control*. 2005;14:166-71. Available from: <http://tc.bmjournals.com/cgi/content/abstract/14/3/166>
369. NZ Ministry of Health, Media Release 17th December. Wellington: Ministry of Health. 2007.
370. Halpin H, McMenamin S, Cella C, Husten C and Rosenthal A. State Medicaid Coverage for Tobacco-Dependence Treatments --- United States, 2005 *MMRW Weekly*, 2006.55(44): 1194-97 Available from: <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5544a2.htm>
371. New York State Department of Health. Tobacco: Goal for 2010. New York: New York State, 2008, Last modified April 2008 (viewed June 2008). Available from: http://www.health.state.ny.us/prevention/tobacco_control/
372. Cummings KM, Hyland A, Fix B, Bauer UE, Celestino P, Carlin-Menter S, et al. Free Nicotine Patch Giveaway Program: 12-Month follow-up of participants. *Am J Prev Med*. 2006;31:181-4.
373. Cummings KM, Fix B, Celestino P, Carlin-Menter S, O'Connor R and Hyland A. Reach, efficacy, and cost-effectiveness of free nicotine medication giveaway programs. *J Public Health Management & Practice*. 2006;12:37-43. Available from: <http://www.ncbi.nlm.nih.gov/sites/entrez?db=pubmed&uid=16340514&cmd=showdetailview&indexed=google>
374. An LC, Schillo BA, Kavanaugh AM, Lachter RB, Luxenberg MG, Wendling AH, et al. Increased reach and effectiveness of a statewide tobacco quitline after the addition of access to free nicotine replacement therapy. *Tob Control*. 2006;15:286-93. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/15/4/286>
375. Bauer JE, Carlin-Menter SM, Celestino P, Hyland A and Cummings KM. Giving away free nicotine medications and a cigarette substitute (Better Quit(R)) to promote calls to a Quitline. *Journal of Public Health Management & Practice*. 2006;12:60-7.
376. Ivers R, Farrington M, Burns C, Bailer R, D'Abbs P, Richmond R, et al. A study of the use of free nicotine patches by Indigenous people. *Aust N Z J Public Health*. 2003;27:486-90.

- 
377. Pharmaceutical Benefits Advisory Committee, Sydney: Letter concerning listing of NRT patches for Indigenous smokers. The Cancer Council Australia, 2008.
378. Medicare Australia. PBS Statistics. Canberra: Medicare Australia, 2008, (viewed. Available from: <http://www.medicareaustralia.gov.au/provider/pbs/stats.shtml>)
379. GlaxoSmithKline. Product information Zyban Sustained release tablets, Issue 10. Melbourne: 2008, Last modified 26 August 2005 (viewed 9 April 2008). Available from: http://www.gsk.com.au/resources.ashx?prescriptionmedicinesproductschilddataproinfo/269FileName/2036C2E04A5E25F86CA4E73A4A574553/PI_Zyban.pdf
380. Bertram MY, Lim SS, Wallace AL and Vos T. Costs and benefits of smoking cessation aids: making a case for public reimbursement of nicotine replacement therapy in Australia. *Tob Control*. 2007;16:255-60. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/16/4/255>
381. McNeill AD, Jarvis MJ, Stapleton JA, Russell MA, Eiser JR, Gammage P, et al. Prospective study of factors predicting uptake of smoking in adolescents. *J Epidemiol Community Health*. 1989;43:72-8. Available from: <http://jech.bmj.com/cgi/content/abstract/43/1/72>
382. Turner L, Mermelstein R and Flay B. Individual and contextual influences on adolescent smoking. *Ann N Y Acad Sci* 2004;1021:175-97.
383. Colby S, Tiffany S, Shiffman S and Niaura R. Are adolescent smokers dependent on nicotine? A review of the evidence. *Drug Alcohol Depend*. 2000;59:S83-95.
384. DiFranza J, Rigotti N, McNeill A, Ockene J, Savageau J, Cyr D, et al. Initial symptoms of nicotine dependence in adolescents. *Tobacco Control*. 2000;9:313-9.
385. DiFranza JR, Savageau JA, Rigotti NA, Fletcher K, Ockene JK, McNeill AD, et al. Development of symptoms of tobacco dependence in youths: 30 month follow up data from the DANDY study. *Tob Control*. 2002;11:228-35. Available from: <http://tc.bmjournals.com/cgi/content/abstract/11/3/228>
386. Thomas R and Perera R. School-based programmes for preventing smoking. *Cochrane Database of Systematic Reviews* 2006(3): DOI: 10.1002/14651858.CD001293.pub2 Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsystrev/articles/CD001293/frame.html>
387. Audrey S, Holliday J and Campbell R. It's good to talk: adolescent perspectives of an informal, peer-led intervention to reduce smoking. *Soc Sci Med*. 2006;63:320-34.
388. Campbell R, Starkey F, Holliday J, Audrey S, Bloor M, Parry-Langdon N, et al. An informal school-based peer-led intervention for smoking prevention in adolescence (ASSIST): a cluster randomised trial. *The Lancet*. 2008;371:1595-602. Available from: http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6T1B-4SG0CT8-12-7&_cdi=4886&_user=10&_orig=search&_coverDate=05%2F16%2F2008&_sk=996280375&view=c&wchp=dGLbVzW-zSkWb&md5=62d1a32410d4c079588352bde2a3c44b&ie=/sdarticle.pdf
389. Mermelstein R. Moving tobacco prevention outside the classroom. *Lancet*. 2008;371:1556-7.
390. Jackson C and Dickinson D. Can parents who smoke socialise their children against smoking? Results from the Smoke-free Kids intervention trial. *Tob Control*. 2003;12: :52-9 Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/11/2/140>
391. Thomas RE, Baker P and Lorenzetti D. Family-based programmes for preventing smoking by children and adolescents. *Cochrane Database of Systematic Reviews* 2007(1): DOI: 10.1002/14651858.CD004493.pub2 Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsystrev/articles/CD004493/frame.html>
392. White VM, Hayman J and Szabo E. Social support, school involvement, unsupervised recreation and adolescent substance use among Victorian secondary school students in 2005, Victorian secondary school students' use of licit and illicit substances in 2005. Results from the 2005 Australian Secondary Students' Alcohol and Drug Survey, Melbourne: Victorian Department of Human Services, 2006; Available from: http://www.health.vic.gov.au/drugservices/pubs/vsss_2005.htm
393. Paynter J. National Year 10 ASH Snapshot Survey, 1999-2007: Trends in tobacco use by students aged 14-15 years. Wellington: On behalf of Action on Smoking and Health, Health Sponsorship Council and the Ministry of Health, 2008. Available from: <http://www.ash.org.nz/pdf/ASHYear10Report19992007v2.pdf>
394. Farkas A, Distefan J, Choi W, Gilpin E and Pierce J. Does parental smoking cessation discourage adolescent smoking? *Prev Med*. 1999;28:213-8.
395. Paul SL, Blizzard L, Patton GC, Dwyer T and Venn A. Parental smoking and smoking experimentation in childhood increase the risk of being a smoker 20 years later: the Childhood Determinants of Adult Health Study. *Addiction*. 2008;103:846-53. Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2008.02196.x>
396. Avenevoli S and Merikangas K. Familial influences on adolescent smoking. 98. 2003;*Addiction*:1-20.
397. de Vries H, Candel M, Engels R and Mercken L. Challenges to the peer influence paradigm: results for 12-13 year olds from six European countries from the European Smoking Prevention Framework Approach study. *Tob Control*. 2006;15:83-9. Available from: <http://tc.bmjournals.com/cgi/content/abstract/15/2/83>
398. Farkas AJ, Gilpin EA, White MM and Pierce JP. Association between household and workplace smoking restrictions and adolescent smoking. *JAMA*. 2000;284:717-22. Available from: <http://jama.ama-assn.org/cgi/content/abstract/284/6/717>
399. Wakefield MA, Chaloupka FJ, Kaufman NJ, Orleans CT, Barker DC and Ruel EE. Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross sectional study. *BMJ*. 2000;321:333-7. Available from: <http://www.bmj.com/cgi/content/abstract/321/7257/333>
400. Roseby R, Waters E, Polnay A, Campbell R, Webster P and Spencer N. Family and carer smoking control programmes for reducing children's exposure to environmental tobacco smoke. *Cochrane Database of Systematic Reviews* 2003, Issue 3. Art. No.: CD001746. DOI: 10.1002/14651858.CD001746 2003, (viewed March 2008). Available from: <http://www.cochrane.org/reviews/en/ab001746.html>



401. Eisenberg ME, Neumark-Sztainer D, Fulkerson JA and Story M. Family meals and substance use: Is there a long-term protective association? . *Journal of Adolescent Health*. 2008;43:151 – 6. Available from: http://www.sciencedirect.com/science?_ob=Mgr&_imagekey=B6180-488626R-3-1&_cdi=5072&_user=10&_orig=browse&_coverDate=08%2F31%2F2008&_sk=999569997&view=c&wchp=dGLzVlz-zSkzV&md5=1dc9bc290add0864c2d335f59733c55&ie=/sdarticle.pdf
402. Murphy M. Quit Campaign 2008 Advertising development research report, Quit Victoria. Melbourne: Market Access Consulting & Research Pty Ltd, 2008.
403. Ivers R. Tobacco and Aboriginal people in NSW. *NSW Public Health Bulletin* 2008.19(4): 65-7 DOI: doi:10.1071/NB07123 Available from: http://www.publish.csiro.au/view/journals/dsp_journal_fulltext.cfm?nid=226&f=NB07123
404. Briggs VL, Lindorff KJ and Ivers RG. Aboriginal and Torres Strait Islander Australians and tobacco. *Tob Control*. 2003;12:ii5-ii8.
405. Rudd K, Macklin J and Roxon N. Rudd government tackles Indigenous smoking rates and health workforce in next down payments on closing the gap: Media Statement - 20th March 2008. Canberra: 2008, (viewed). Available from: <http://www.alp.org.au/media/0308/msheagiapm200.php>
406. Schneider S and Schütz J. Who smokes during pregnancy? A systematic literature review of population-based surveys conducted in developed countries between 1997 and 2006. *Eur J Contracept Reprod Health Care*. 2008;13:138-47. Available from: <http://www.informaworld.com/smpp/content?content=10.1080/13625180802027993>
407. Gilligan C, Sanson-Fisher R, Eades S and D'Este C. Antenatal smoking in vulnerable population groups: an area of need. *J Obstet Gynaecol*. 2007;27:664-71. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/17999289>
408. Windsor R, Woodby L, Miller T, Hardin J, Crawford M and DiClemente C. Effectiveness of Agency for Health Care Policy and Research clinical practice guideline and patient education methods for pregnant smokers in Medicaid maternity care. *Am J Obstet Gynecol*. 2000;182:68-75.
409. Kelley K, Bond R and Abraham C. Effective Approaches to Persuading Pregnant Women to Quit Smoking: A Meta-analysis of Intervention Evaluation Studies. *British Journal of Health Psychology*. 2001;6:207-28.
410. Lumley J, Oliver SS, Chamberlain C and Oakley L. Interventions for promoting smoking cessation during pregnancy. *Cochrane Database of Systematic Reviews* 2004(4): DOI: 10.1002/14651858.CD001055.pub2 Available from: <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD001055/frame.html>
411. Crawford J, Tolosa J and Goldenberg R. Smoking cessation in pregnancy: why, how, and what next... *Clin Obstet Gynecol*. 2008;51:419-35. Available from: <http://www.clinicalobgyn.com/pi/re/clnobjyn/abstract.00003081-200806000-00024.htm;jsessionid=Ls2DhyGqDgk3vysGyJ6pPncY13bhnY8LTWL1w2TbyHJhv1db2tl-21211251351181195628180911-1>
412. Hey K and Perera R. Competitions and incentives for smoking cessation. *Cochrane Database Syst Rev* Issue 2. Art. No.CD004307. DOI: 10.1002/14651858, 2005, Last modified 19 February 2005 (viewed March 2008). Available from: <http://www.cochrane.org/reviews/en/ab004307.html>
413. El-Khorazaty M, Johnson A, Kiely M, El-Mohandes A, Subramanian S, Layrea H, et al. Recruitment and retention of low-income minority women in a behavioural intervention to reduce smoking, depression and intimate partner violence during pregnancy. *BMC Public Health*. 2007;7:223.
414. Donatelle R, Prows S, Champeau D and Hudson D. Randomised controlled trial using social support and financial incentives for high risk pregnant smokers: significant other supporter (SOS) program. *Tob Control*. 2000;9 Suppl 3:III67-9.
415. Donatelle R, Hudson D, Dobie S, Goodall A, Hunsberger M and Oswald K. Incentives in smoking cessation: Status of the field and implications for research and practice with pregnant smokers. *Nicotine & Tobacco Research*. 2004;6 Supplement 2:s163-79.
416. Heil SH, Higgins ST, Bernstein IM, Solomon LJ, Rogers RE, Thomas CS, et al. Effects of voucher-based incentives on abstinence from cigarette smoking and fetal growth among pregnant women *Addiction*. 2008;103:1009-18 Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1360-0443.2008.02237.x>
417. Victorian Smoking and Health Program. Submission to the Victorian Smoking and Health Program. Melbourne: Cancer Control Research Institute, 2001.
418. de Leon J and Diaz FJ. A meta-analysis of worldwide studies demonstrates an association between schizophrenia and tobacco smoking behaviors. *Schizophrenia Research*. 2005;76:135-57. Available from: [http://www.ncbi.nlm.nih.gov/entrez/utils/fref.fcgi?PrId=3048&itool=AbstractPlus-def&uid=15949648&db=pubmed&url=http://linkinghub.elsevier.com/retrieve/pii/S0920-9964\(05\)00075-7](http://www.ncbi.nlm.nih.gov/entrez/utils/fref.fcgi?PrId=3048&itool=AbstractPlus-def&uid=15949648&db=pubmed&url=http://linkinghub.elsevier.com/retrieve/pii/S0920-9964(05)00075-7)
419. Goldberg JO and Van Exan J. Longitudinal rates of smoking in a schizophrenia sample. *Tobacco Control*. 2008;17:271-5. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/4/271>
420. Kisely S and Campbell L. Use of smoking cessation therapies in individuals with psychiatric illness: an update for prescribers. *CNS Drugs*. 2008;22:263-73. Available from: <http://www.ingentaconnect.com/...>
421. Shmueli D, Fletcher L, Hall S, Hall S and Prochaska J. Changes in psychiatric patients' thoughts about quitting smoking during a smoke-free hospitalization. *Nicotine & Tobacco Research*. 2008;10:875-81. Available from: <http://www.informaworld.com/smpp/content~db=all?content=10.1080/14622200802027198>
422. Quit Victoria. *Quitline Guidelines: Smoking Cessation and Mental Illness*. Melbourne: Tobacco Control Unit, The Cancer Council Victoria, 2003.
423. Kodl MM, Fu SS, Willenbring ML, Gravely A, Nelson DB and Joseph AM. The impact of depressive symptoms on alcohol and cigarette consumption following treatment for alcohol and nicotine dependence. *Alcoholism: Clinical and Experimental Research*. 2008; Online Early Articles Available from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1530-0277.2007.00556.x>

- 
424. Belcher J, Butler T, Richmond R, Wodak A and Wilhelm K. Smoking and its correlates in the Australian prisoner population. *Drug and Alcohol Review*. 2006;25:343-8.
425. Butler T and Papanastasiou C. National Prison Entrants' Bloodborne Virus and Risk Behaviour Survey 2004 & 2007. ISBN: 1 74067 582 7. Perth and Sydney: National Drug Research Institute (Curtin University) & National Centre in HIV Epidemiology and Clinical Research (University of New South Wales). 2008.
426. Australian Bureau of Statistics. 4517,0 Prisoners in Australia, 2007 Canberra: Australian Bureau of Statistics, 2007. Available from: <http://www.abs.gov.au/AUSSTATS/abs@.nsf/DetailsPage/4517.02007?OpenDocument>
427. Butler T and Milner L. The 2001 inmate health survey. Sydney: NSW Corrections Health Service, 2003.
428. Richmond R and Zwar N. Review of bupropion for smoking cessation: Invited review. *Drug and Alcohol Review*. 2003;22:203-20.
429. Richmond R, Taylor R and DeBono D. Inmate Quit Smoking Program. Sydney: School of Public Health and Community Medicine, University of New South Wales, 2002.
430. Baker A, Ivers R, Bowman J, Butler T, Kay-Lambkin F, Wye P, et al. Where there's smoke, there's fire: high prevalence of smoking among some sub-populations and recommendations for intervention. *Drug and Alcohol Review*. 2006;25 Available from: <http://www.informaworld.com/smpp/content--content=a741424195~db=all-order=page>
431. Marsh D, Schroeder D, Dearden K, Stermin J and Stermin M. The power of positive deviance. *Br Med J*. 2004;329:1177-9.
432. Awofeso N, Irwin T and Forrest G. Using positive deviance techniques to improve smoking cessation outcomes in New South Wales prison settings. *Health Promotion Journal of Australia*. 2008;19:72-3.
433. Okuyemi KS, Thomas JL, Hall S, Nollen NL, Richter KP, Jeffries SK, et al. To target or not to target? Smoking cessation in homeless populations: A pilot clinical trial *Nicotine & Tobacco Research*. 2007;8:689-99.
434. Spector A, Alpert H and Karam-Hage M. Smoking cessation delivered by medical students is helpful to homeless population. *Acad Psychiatry*. 2007;31:402-5. Available from: <http://ap.psychiatryonline.org/cgi/content/full/31/5/402>
435. Pampel FC. Diffusion, cohort change, and social patterns of smoking. *Social Science Research*. 2005;34:117-39. Available from: http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6WX8-4BV4JD-1&_user=10&_rdoc=1&_fmt=&_orig=search&_sort=d&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=617f08742565fadbb1a7492bfd504c
436. Schroeder M. Stranded in the periphery--the increasing marginalization of smokers, Editorial. *The New England Journal of Medicine*. 2008;358:2284-6.
437. Adhikari P. 1351.0.55.015 Research paper: socio-economic indexes for areas: introduction, use and future directions. Canberra: Australian Bureau of Statistics, 2006. Available from: <http://abs.gov.au/AUSSTATS/abs@.nsf/DetailsPage/1351.0.55.015Sep%202006?OpenDocument>
438. Cahill K and Perera R. Competitions and incentives for smoking cessation. *Cochrane Database of Systematic Reviews* 2008.Jul 16(3): DOI: CD004307 Available from: http://www.ncbi.nlm.nih.gov/pubmed/18646105?ordinalpos=7&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief
439. Skinner WF, Massey JL, Krohn MD and Lauer RM. Social influences and constraints on the initiation and cessation of adolescent tobacco use. *Journal of Behavioral Medicine* 1985;8:353-76. Available from: <http://www.springerlink.com/content/wn216211228267gr/>
440. Foshee V and Bauman K. Parental attachment and adolescent smoking initiation. *J Adolesc Res*. 1994;9: 88-104.
441. Resnick M, Bearman P, Blum R, Bauman KE, Harris KM, Jones J, et al. Protecting adolescents from harm: findings from the National Longitudinal Study on Adolescent Health. *Journal of the American Medical Association*. 1997;278:823-32. Available from: <http://jama.ama-assn.org/cgi/content/abstract/278/10/823>
442. Zubrick S, Silburn S, Gurrin L, Teoh H, Shepherd C, Carlton J, et al. Western Australian Child Health Survey: Education, Health and Competence. Perth, Western Australia: Australian Bureau of Statistics and the TVW Telethon Institute for Child Health Research, 1997.
443. Zubrick S and Silburn S. Education, health and competence. Western Australian Child Health Survey: Education and Competence, 1997.
444. Zubrick S, Lawrence D, Silburn S, Blair E, Milroy H, Wilkes T, et al. The Western Australian Child Health Survey: The Health of Aboriginal Children and Young People. Telethon Institute of Child Health Research, 2004, (viewed. Available from: www.ichr.uwa.edu.au
445. Bryant AL, Schulenberg J, Bachman JG, Malley PM and Johnston LD. Understanding the Links Among School Misbehavior, Academic Achievement, and Cigarette Use: A National Panel Study of Adolescents. *Prevention Science*. 2000;1:71-87. Available from: <http://www.ingentaconnect.com/content/klu/prev/2000/00000001/00000002/00223014>
446. Thomas DP, Briggs V, Anderson IP and Cunningham J. The social determinants of being an Indigenous non-smoker. *ANZJPH*. 2008;32:110-16. Available from: http://www.ncbi.nlm.nih.gov/pubmed/18412679?ordinalpos=57&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVBrief
447. Graham H, Inskip HM, Francis B and Harman J. Pathways of disadvantage and smoking careers: evidence and policy implications. *J Epidemiol and Community Health*. 2006;60:7-12.
448. Patterson JM, Eberly LE, Ding Y and Hargreaves M. Associations of smoking prevalence with individual and area level social cohesion. *J Epidemiol Community Health*. 2004;58:692-7. Available from: <http://jech.bmj.com/cgi/content/abstract/58/8/692>
449. Kawachi I, Kennedy B and Glass R. Social capital and self-rated health: a contextual analysis. *Am J Pub Health*. 1999;89



450. Miles R. Neighborhood disorder and smoking: Findings of a European urban survey *Social Science & Medicine* 2006;63:2464-75. Available from: http://www.sciencedirect.com/science?_ob=PublicationURL&_toCkey=%23TOC%235925%232006%23999369990%23633190%23FLA%23&_cdi=5925&_pubType=J&_auth=y&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=48bf9264d5b6d0aaeda259443b1c03e2
451. Xue Y, Zimmerman MA and Caldwell CH. Neighborhood Residence and Cigarette Smoking Among Urban Youths: The Protective Role of Prosocial Activities. *AJPH* 2007 Available from: <http://www.ajph.org/cgi/content/abstract/AJPH.2005.081307v1>
452. The Cancer Council New South Wales. Lifting the burden: Tobacco control and social equity strategy July 2006 to June 2011. Sydney: The Cancer Council New South Wales 2006. Available from: <http://www.cancercouncil.com.au/editorial.asp?pageid=2210>
453. Juon HS, Ensminger ME and Sydnor KD. A longitudinal study of developmental trajectories to young adult cigarette smoking. *Drug Alcohol Depend.* 2002;66: 303-14.
454. Gilman S, Martin L, Abrams D, Kawachi I, Kubzansky L, Loucks E, et al. Educational attainment and cigarette smoking: a causal association? *Int J Epidemiol.* 2008;Jan 6 (Epub ahead of print) Available from: <http://ije.oxfordjournals.org/cgi/content/abstract/dym250v1>
455. United Nations General Resolution 55/2. United Nations Millennium Declaration 2000, 2000. Available from: www.un.org/millennium/declaration/ares552e.pdf
456. Esson K and Leeder S. The Millenium development goals and tobacco control. Geneva: World Health Organization, 2004. Available from: http://www.who.int/tobacco/research/economics/publications/mdg_book/en/index.html
457. Nonnemaker J and Sur M. Tobacco expenditures and child health and nutritional outcomes in rural Bangladesh. *Soc Sci Med.* 2007;65:2517-26.
458. Rasanathan K and Tukuitonga C. Tobacco smoking prevalence in Pacific Island countries and territories: a review *N Z Med J.* 2007;120:1263. Available from: <http://www.nzma.org.nz/journal/abstract.php?id=2742>
459. Lancaster T and Silagy C. Tobacco Addiction Module of the Cochrane Database of Systematic Reviews. The Cochrane Collaboration. Oxford, 1998, (viewed).
460. Ogilvie D and Petticrew M. Reducing social inequalities in smoking: can evidence inform policy? A pilot study. *Tob Control.* 2004;13:129-31. Available from: <http://tc.bmjournals.com/cgi/content/abstract/13/2/129>
461. Main C, Thomas S, Ogilvie D, Stirk L, Petticrew M, Whitehead M, et al. Population tobacco control interventions and their effects on social inequalities in smoking: placing an equity lens on existing systematic reviews. *BMC Public Health.* 2008;8 Available from: <http://www.biomedcentral.com/content/pdf/1471-2458-8-178.pdf>
462. Hurley S and Matthews J. Cost-effectiveness of the Australian national tobacco campaign. *Tobacco Control.* 2008;(Epub ahead of print) Available from: <http://tobaccocontrol.bmj.com/cgi/rapidpdf/tc.2008.025213v1>
463. Lightwood JM, Dinno A and Glantz SA. Effect of the California tobacco control program on personal health care expenditures. *PLoS Medicine.* 2008;5:e178. Available from: http://medicine.plosjournals.org/archive/1549-1676/5/8/pdf/10.1371_journal.pmed.0050178-L.pdf
464. Hurley S, Scollo M, Younie S, English DR and Swanson M. The potential for tobacco control to reduce PBS costs for smoking-related cardiovascular disease. *Med J Aust.* 2004;181:252-5. Available from: http://www.mja.com.au/public/issues/181_05_060904/hur10462_fm.html
465. Hurley S. The short-term impact of smoking cessation on myocardial infarction and stroke hospitalisations and costs in Australia. *Med J Aust.* 2005;183:13-7.
466. Hurley S and Matthews J. The Quit Benefits Model: a Markov model for assessing the health benefits and health care cost savings of quitting smoking. *Cost Effectiveness and Resource Allocation.* 2007;5:2. Available from: <http://www.resource-allocation.com/content/5/1/2>
467. Magnus A, Mihalopoulos C and Carter R. Evaluation of Preventive Health Interventions: Report for Department of Treasury and Finance. Quote No F2006/00344. Melbourne: Health Economics Unit School of Health and Social Development Deakin University, 2008.
468. Taylor R and Clements M. The contribution of the decline in tobacco smoking to reduced lung cancer mortality in Australia; The contribution of reduction in tobacco smoking to the decline in chronic obstructive pulmonary disease mortality in Australia; The contribution of changes in risk factors to the decline in coronary heart disease mortality in Australia 1968-98, in Economics, A., Editor, Returns on Investment in Public Health: An epidemiological and economic analysis, Canberra: Department of Health and Ageing, 2003;
469. Abelson P and Applied Economics. Returns on Investment in Public Health. Canberra: Department of Health and Ageing, 2003.
470. Daube M. Public Health Advocacy and Tobacco Control: Making Smoking History By Simon Chapman: A review. *Australian & New Zealand Journal of Public Health.* 2008;32:194-5.
471. National Cancer Institute. The Role of the Media. Smoking and Tobacco Control Monograph No. 19. Bethesda, MD: US Department of Health and Human Services, National Institutes of Health, National Cancer Institute, 2008; Available from: <http://cancercontrol.cancer.gov/tcrb/monographs/19/index.html>
472. Chapman S. The most important and influential papers in tobacco control: results of an online poll. *Tob Control.* 2005;14:e1-. Available from: <http://tobaccocontrol.bmj.com>
473. World Health Organization. Policy recommendations for smoking cessation and treatment of tobacco dependence - advancing tobacco control in the 21st century. March. Geneva: World Health Organization, 2004. Available from: <http://www.wpro.who.int/NR/rdonlyres/8D25E4D3-BB81-479E-8DF5-7BAF674DB104/0/PolicyRecommendations.pdf>



474. Centers for Disease Control and Prevention. Best Practices for Comprehensive Tobacco Control Programs—2007. Atlanta: Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2007. Available from: http://www.cdc.gov/tobacco/tobacco_control_programs/stateandcommunity/best_practices/
475. Framework Convention Alliance. What is the Framework Convention Alliance? Geneva: 2008, Last modified 23 May 2008 (viewed 6 June 2008). Available from: <http://www.fctc.org/index.php?item=aboutus&code=ov>
476. Fong GT, Cummings KM, Borland R, Hastings G, Hyland A, Giovino GA, et al. The conceptual framework of the International Tobacco Control (ITC) Policy Evaluation Project. *Tobacco Control*. 2006;15:iii3-11. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii3
477. Young D and Borland R. Report on the International Tobacco Control Study, Focussing on Australia. Melbourne: Cancer Control Research Institute, The Cancer Council Australia, 2004.
478. Borland R, Yong H, King B, Cummings K, Fong G, Elton T, et al. Use of and beliefs about light cigarettes in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. *Nicotine Tob Res*. 2004;6:S311 - S21.
479. Fong G, Hammond D, Laux F, Zanna M, Cummings K, Borland R, et al. The near-universal experience of regret among smokers in four countries: Findings from the International Tobacco Control Policy Evaluation Survey. *Nicotine Tob Res*. 2004;6:S341-S51. Available from: <http://www.informaworld.com/smpp/content~content=a753998174~db=all~order=page>
480. Thompson ME, Fong GT, Hammond D, Boudreau C, Driezen P, Hyland A, et al. Methods of the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii12-8. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii12
481. Hammond D, Fong GT, McNeill A, Borland R and Cummings KM. Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii19-25. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii19
482. Harris F, MacKintosh AM, Anderson S, Hastings G, Borland R, Fong GT, et al. Effects of the 2003 advertising/promotion ban in the United Kingdom on awareness of tobacco marketing: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii26-33. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii26
483. Borland R, Yong HH, Siahpush M, Hyland A, Campbell S, Hastings G, et al. Support for and reported compliance with smoke-free restaurants and bars by smokers in four countries: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii34-41. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii34
484. Borland R, Yong HH, Cummings KM, Hyland A, Anderson S and Fong GT. Determinants and consequences of smoke-free homes: findings from the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii42-50. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii42
485. Young D, Borland R, Hammond D, Cummings KM, Devlin E, Yong HH, et al. Prevalence and attributes of roll-your-own smokers in the International Tobacco Control (ITC) Four Country Survey. *Tob Control*. 2006;15:iii76-82. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii76
486. Yong H, Borland R and Siahpush M. Quitting-related beliefs, intentions and motivations of older smokers in four countries: findings from the international tobacco control policy evaluation survey. *Addict Behav*. 2005;30:777-88.
487. Yong HH, Borland R, Hammond D, Sirirassamee B, Ritthiphakdee B, Awang R, et al. Levels and correlates of awareness of tobacco promotional activities among adult smokers in Malaysia and Thailand: findings from the International Tobacco Control Southeast Asia (ITC-SEA) Survey. *Tob Control*. 2008;17:46-52. Available from: <http://tobaccocontrol.bmj.com/cgi/content/abstract/17/1/46>
488. Fong GT, Hyland A, Borland R, Hammond D, Hastings G, McNeill A, et al. Reductions in tobacco smoke pollution and increases in support for smoke-free public places following the implementation of comprehensive smoke-free workplace legislation in the Republic of Ireland: findings from the ITC Ireland/UK Survey. *Tob Control*. 2006;15:iii51-8. Available from: http://tc.bmjournals.com/cgi/content/abstract/15/suppl_3/iii51